

# Scalix 11.4.4 - Release Notes \$Rev: 437 \$

*Release Date: 1 June 2009*

---

## Contents

- [Introduction](#)
- [Acknowledgments](#)
- [End of Life Notices](#)
- [Upgrade Notices](#)
  
- [New in Scalix 11.x](#)
- [Changes and Fixes in Scalix 11.x](#)
  
- [Supported Environments](#)
- [Packaging](#)
- [Known Issues and Workarounds](#)

---

[Back to top](#)

## Introduction

Thank you for downloading Scalix 11.4.4.

Scalix 11.4.4 is the latest release of Scalix 11, providing important fixes to previous versions. We recommend you upgrade all systems running Scalix 11 to this latest release.

This document includes late-breaking information about product capabilities, known issues and workarounds. Please read this document thoroughly before beginning your installation or upgrade.

For full documentation on how to install, configure and administer Scalix, see the customer documentation at <http://www.scalix.com/documentation>. In addition, after Installing the Scalix Mail Server and other applications, you can access the following online help systems, which are embedded in the product:

- Scalix Web Access Online Help
- Scalix Management Console Online Help
- Scalix Connect for Microsoft Outlook Online Help

You also can learn more about any of the known issues listed here - or report others - by going to the Scalix bug tracking system at <https://bugzilla.scalix.com/>.

Scalix, Inc. is committed to your success with our software. For additional information above and beyond what is provided here and in the official product documentation, visit the Scalix Forums at <http://www.scalix.com/forums/>. Customers who have purchased support

from Scalix also may also contact Scalix Technical Support to request help, ask questions about how to use a particular feature, provide feedback, or report bugs by visiting <http://www.scalix.com/support>.

---

[Back to top](#)

## Acknowledgments

Starting with version 11.3 Scalix Connect for Outlook now includes software developed by the OpenSSL project for use in the OpenSSL toolkit. (<http://www.openssl.org>). It also includes cryptographic software written by Eric Young (eay@cryptsoft.com) and software written by Tim Hudson (tjh@cryptsoft.com). Scalix would like to thank these individuals and the OpenSSL community for their valuable contributions.

Starting with version 11.3 Scalix Server now includes software based on the Universal Character Set Detector from the Mozilla project (<http://www.mozilla.org>), written by Simon Montagu (smontagu@smontagu.org), Shy Shalom (shooshX@gmail.com), Shoshannah Forbes <xslf@xslf.com> and others. Scalix would like to thank these individuals and the Mozilla community for their valuable contributions.

---

[Back to top](#)

## Important End of Life Notices

When running Scalix in a mixed-version multi-server setup, where your front end servers are running SWA 11 and the back end servers have version 10 installed, the following restrictions apply:

- Frontend servers using SWA 11.0 and higher and back end servers using Scalix 10 **have ceased** to work together **on December 31st, 2008**. If you plan to continue a frontend/backend server setup using the configuration after this date, you will need to upgrade all your Scalix 10 servers to Scalix 11 as mixed configurations will no longer be supported.

Scalix 11.4.X is the last release of Scalix to provide support for SuSE Linux Enterprise Server 9 (SLES 9). We recommend that you upgrade to SuSE Linux Enterprise Server 10 (SLES 10) to prepare for the release and upgrade to Scalix 11.5.

Scalix is planning to freeze development of Scalix Connect for Outlook for Outlook versions 9 (Outlook 2000) and 10 (Outlook XP/2002) in Scalix 11.5. We recommend that you consider upgrading to Outlook 2003 or Outlook 2007. Note that we will continue to provide support on the basis of a frozen connector version, however, no new functionality in Scalix Connect will be made available for these platforms.

Please note that as of July, 1st, 2008 all customers wanting to install Scalix AntiSpam and/or Scalix ZeroHour AntiVirus will need to upgrade their Scalix installation to 11.4.1 or

higher. Also customers who are currently using either product option and want to update their license will need to upgrade to Scalix 11.4.1.

As of 11.4.2 Scalix no longer supports OpenSuSE 10.2. If you wish to continue using OpenSuSE you will need to upgrade to 11.0

---

## Upgrade Notices

[Back to top](#)

Please read the following carefully, as some specific actions might be required as you upgrade from earlier versions of Scalix.

### Upgrade Notices

If you are upgrading from a previous version of Scalix, there are several changes of which you should be aware:

- Before beginning any upgrades, check your license key. If you are upgrading to or from a Small Business Edition (SBE) or Enterprise Edition (EE) installation, you need to have a valid and current license key with a "Last Valid Issue Date" (LVID) on or after 15 May 2009 (2009-05-15) to use Scalix 11.4.4. If you continue installation after the respective warning and the license is not valid, your installation will downgrade to Community Edition. To check the LVID of your license, use the Scalix Management Console or the `sxlicense` command. To extend your upgrade subscription or get a new license key, please contact Scalix Sales at [info@scalix.com](mailto:info@scalix.com).
- After upgrading to any version of Scalix 11 from Scalix 10 or earlier, you cannot downgrade to a previous version because of permanent changes to the structure of the message store.
- Scalix 11 changes the file system layout significantly from previous versions. If you have customizations stored in any files under the Scalix home directory (`/var/opt/scalix`), back them up before upgrading. In addition, any custom scripts with hard-coded references to `/var/opt/scalix` (such as `ommaint` or `ombackup`) must be updated because they point to a file structure that has been changed. For more on this issue, see the workaround for updating [custom scripts](#). If you have any filesystems mounted below `/var/opt/scalix` (e.g. separate mountpoints for `tmp` and/or `temp`), you will need to unmount these before the upgrade. Otherwise, the upgrade will fail.
- The location of all files has changed in this release from `/var/opt/scalix` (aka `~`) to `/var/opt/scalix/<nn>` which will be referred to as `<instance>`. The meaning of `~` for Scalix 11 changes to be the directory `<instance>/s`. In addition, some `tomcat` logfiles have been renamed.
- Scalix 11 requires the package `sendmail-cf` as an additional prerequisite, which should be installed manually before starting the installer. If not, the installer will detect the missing package.
- Direct upgrade from versions of Scalix prior to Scalix 10 is not supported. You must first upgrade to Scalix 10, then upgrade again to Scalix 11. You can directly upgrade from Scalix 10 to any version of Scalix 11, including Scalix 11.4.4.
- When upgrading from Scalix 10.x to any version of Scalix 11, make sure your message store is in a consistent state before you begin the upgrade. We recommend running the `omscan -Aafvx` command to verify and fix pre-existing message store

issues. Due to a necessary message store format upgrade when upgrading to Scalix 11, data corruption can occur when trying to do this on a message store with pre-existing consistency issues.

- We recommend you upgrade all components at the same time if possible. If you can't do all systems at once, follow these rules:
  - You can run Outlook with a Scalix 10.0.x MAPI connector against a Scalix 11 server.
  - You **must not** run Outlook with a Scalix 11 MAPI connector against a Scalix 10 server. This combination can cause invalid data in the message store and interoperability issues.
  - You can run a Scalix 11 SWA web server against a Scalix 10 server. You cannot run a Scalix 10 SWA web server against a Scalix 11 server.
  - You can use a Scalix 11 Management server to manage a server installed with Scalix 10. You cannot use a Scalix 10 Management server to manage a server installed with Scalix 11.
  - It is supported to run Outlook with an older Scalix Connector version against a newer server, e.g. you can run Scalix Connect for Outlook 11.1 against a Scalix 11.4.4 server. It is not supported to run Outlook with a newer Scalix Connector version against an older server, e.g. you cannot run Scalix Connect for Outlook 11.4.4 against a Scalix 11.3 server. You must always upgrade all your servers first before upgrading Scalix Connect for Outlook.
- Scalix 11 requires slightly more disk space than its predecessors because it adds a new header cache database and a full text index. So before upgrade, check the size of the message store and add another 5% to 10% to the amount of disk space required.
- Scalix 11 provides new full-text indexed search capability, used by both Outlook and Scalix Web Access. After the upgrade, the index must be initialized. When run for the first time, this is a time-consuming process and may take days for a large message store. During this time, the system will experience higher load and performance impacts. Also, search functionality is not fully available until the index is created. You can control the pace at which the index is created and schedule resources as required. See the `sxmindex` man page for further information. The Scalix installer will ask you at the end of an upgrade install, if it should kick-off creation of the index. For large systems, you might want to decline this and schedule the index creation manually.
- Starting with Scalix 11.4 tomcat will now listen on port 8080 (see Bug [17402](#)). If you have any other services using this port you will need to configure them to listen on another port.

If you are upgrading Scalix Connect for Outlook to version 11.4.4 from any previous version of Scalix Connect for Outlook 11, there are several things to be aware of:

- When upgrading from Scalix 11.0.0 you **should** create new profiles for any clients using SmartCache to benefit from all fixes contained in Scalix 11.1
- When upgrading from Scalix 11.0.1, Scalix 11.0.2 or Scalix 11.0.2.1, you may need to create new profiles for some users using SmartCache to benefit from all fixes in Scalix 11.4
- When upgrading from Scalix 11.0.3 or later, there is no need to recreate Outlook profiles or re-initialize the cache.
- On Windows Vista, Scalix Connect for Outlook 11.3 cannot be upgraded to 11.4 using Auto-Upgrade. You will have to manually install the new version of Scalix Connect or use a Windows software management tool to deploy the new version. Auto-Upgrade from Scalix Connect for Outlook 11.4 to future versions will work.

If you are using omldapsync to manage Scalix users and groups through an external directory:

- Since version 11.4.2 Scalix comes with an updated version of Java, Sun Java Runtime Environment 1.5.0 Patch 16 (JRE 1.5.0\_16) while versions of Scalix 11 up until Scalix 11.0.4 used Sun Java Runtime Environment 1.5.0 Patch 6 (JRE 1.5.0\_06), Scalix 11.1/11.2 use Sun Java Runtime Environment 1.5.0 Patch 11 (JRE 1.5.0\_11) and until Scalix 11.4.1 use Sun Java Runtime Environment 1.5.0 Patch 13 (JRE 1.5.0\_13). The Scalix Tomcat installation is updated automatically to use the new Java version. However, any existing sync agreements for omldapsync, stored in /var/opt/scalix/<instance>/s/ldapsync/<sync\_agreement\_name>/sync.cfg, need to be updated manually to reflect the new version, e.g. the following change will need to be done in all config files:

Change

JAVA\_HOME=/usr/java/jre1.5.0\_06

or

JAVA\_HOME=/usr/java/jre1.5.0\_11

or

JAVA\_HOME=/usr/java/jre1.5.0\_13

to

JAVA\_HOME=/usr/java/jre1.5.0\_16

If you are upgrading your server to Scalix 11.3 or later from any previous installation of Scalix 11, there are a number of new packages supporting Scalix Server:

- scalix-libical - this replaces libical as shipped with earlier versions of Scalix and must be selected in the installer when installing or upgrading the scalix-server package.
- scalix-iconv-extras - this is an optional install that adds additional character set for Japanese character sets to the os-supplied iconv character set conversion library. It improves Scalix I18N character set support and Scalix recommends installing this on all systems running scalix-server.
- scalix-chardet - this is software derived from the Mozilla Universal Character Set Detection library. It is used for automatically detecting character sets in incoming email messages with incomplete or incorrect MIME headers. As of Scalix 11.3, scalix-server depends on this library and it must be selected in the installer when installing or upgrading the scalix-server package.

If you are using Scalix Community Edition and you are upgrading your server to Scalix 11.3 or later from any previous version of Scalix, please note that the number of free Premium User licenses has changed from 25 to 10.

- If you have more than 10 Premium Users configured, the installer will detect this and not allow you to upgrade. You will need to convert some of your Premium Users to Standard Users before continuing with the upgrade.
- If you need more than 10 premium users, you will need to upgrade your Scalix installation to Small Business Edition or Enterprise Edition. Please contact Scalix Sales at [info@scalix.com](mailto:info@scalix.com) for details.

If you are upgrading your Server to Scalix 11.4, 11.4.2 or later from any previous installation of Scalix 11 and if you have changed the SMTP Relay configuration in smtpd.cfg your changes will be saved in Osmtpd.cfg since Scalix 11.4 and 11.4.2 deliver a new version

of smtpd.cfg. You need to manually integrate the changes you made into the new smtpd.cfg after finishing the upgrade.

In 11.4.1 the auto upgrade binary has been renamed from SXInstallMgr.exe to SXAutoUpgrade.exe.

Starting with 11.4.1 Proxy Folders no longer contribute to the size of a user's mailbox (Bug [17282](#)), please refer to [Proxy Folder Technical Bulletin](#) for details.

In Scalix 11.4.1 the default behavior when detecting the body of a mail has changed (Bug [17338](#)). Before 11.4.1 lines containing only whitespace acted as separator between headers and body. Starting with 11.4.1 only empty lines are allowed as separators. This has been changed to comply to RFC2822. You can switch back to the old, pre 11.4.1 behavior by adding WHITESPACE\_CRLF\_IS\_BREAK=TRUE in ~/sys/general.cfg and restarting the server. Please note that the old behavior violates RFC2822.

If you are upgrading from 11.4.3 or earlier to 11.4.4 or later, it is recommended that you empty your IMAP caches by running the following command on your backend server. Please note that this command may only be run when nobody is signed on to the system (when the rci and IMAP services are off):

```
cd $(omrealpath "~/"); find user* -name imap-cache -exec rm -rf {} \;
```

Starting with Scalix 11.4.3 regular VACUUM runs will be performed on the postgres database in order to decrease disk usage and query times (see Bug [14957](#)). For postgres 7.4 through 8.0 this is implemented as a root crontab entry with an incremental run every midnight and a full run on Sunday 00:30. For postgres 8.1 and later configuration options in postgresql.conf are used. For more information please refer to:

- General: <http://www.network-theory.co.uk/docs/postgresql/vol3/Theautovacuumdaemon.html>
- Postgres 7.4 - 8.0: <http://www.postgresql.org/docs/7.4/static/maintenance.html>
- Postgres 8.1 and later: <http://www.postgresql.org/docs/8.1/static/maintenance.html>

Also starting with 11.4.3 postgres' loglevel has been increased (see Bug [15294](#)). In case you made any changes to postgresql.conf (found in ~/XX/postgres/data) these will be overwritten. The original will be backed up to postgresql.conf\_saved.<YYYY-MM-DD>\_<hh:mm:ss>.

In 11.4.3 handling of public folders in Mailnode Hosting setups has changed (see Bug [18303](#)). The "extra" company top folder will no longer be displayed, instead all folders will be shown directly under "Public Folders". If there are items (Mails, etc.) contained in the top folder, they will be moved to an automatically created subfolder with the same name. In case you have configured an e-mail address for the company top folder you will need to move this address to a different one, as the top folder is no longer visible in all clients (see Bug [18819](#)).

Scalix 11.4.3 and Scalix 11.4.4 have improved Searching and Indexing in various Ways. For some of these changes to become effective, it is recommended to re-index the Scalix Message Store at a convenient time. Old indexes should be dropped before creating a new one. This can be carried out using the sxmkindex command, which has a number of new

options for this. Please see the man page for details. Note that re-indexing the whole message store can take significant time and should be run off-hours.

Please also check the [Scalix 11 Upgrade FAQ](#) on the Scalix Wiki.

---

## New in Scalix 11.x

[Back](#) to top

### *New Features in Scalix 11.4.4*

Scalix 11.4.4 provides the following new features:

#### **General**

- Scalix 11.4.4 provides support for Scalix ActiveSync 1.0.

#### **Scalix Connect for Outlook**

- The use of Windows Desktop Search is now supported on Windows XP and Vista. Data in SmartCache mail profiles will be indexed.

### *New Features in Scalix 11.4.3*

Scalix 11.4.3 provides the following new features:

#### **Scalix Admin Tools**

- Delegated Administration Support has been refined further.

### *New Features in Scalix 11.4.2*

Scalix 11.4.2 provides the following new features:

#### **General**

- Support for OpenSuSE 10.2 is replaced with support for OpenSuSE 11.0 on 32-bit and 64-bit platforms.

#### **Scalix Messaging Services**

- Support for Lightning/Sunbird with initial support for Lightning 0.9

#### **Management and Administration (Scalix Management Console)**

- Delegated Administration will allow you to delegate certain management task to other users.

## ***New Features in Scalix 11.4.1***

Scalix 11.4.1 provides the following new features:

### **General**

- Support for Fedora Core 7 is replaced with support for Fedora 9 on 32-bit and 64-bit platforms

### **Scalix Web Access**

- Calendar Planning Mode
- Support for Firefox 3.0
- Localization and Theming kits for developers

## ***New Features in Scalix 11.4***

Scalix 11.4 provides the following new features:

### **General**

- Full support for CentOS 4 and 5
- New Products: Scalix AntiSpam and Scalix ZeroHour AntiVirus (optionally licensed)

### **Scalix Server**

- New MILTER interface on SMTP Relay
- Added support for Proxy Folders: Ability to integrate external read-only feeds (WebCal/ics and RSS/ATOM) as virtual folders

### **Scalix Messaging Services**

- Extended CalDAV support for Apple iCal
  - Ability to create new calendars and manage calendar properties
  - Ability to schedule meetings and view Free/Busy information
- Support for Lightning/Sunbird with initial support for Lightning 0.8

### **Scalix Web Access**

- Support for Firefox 3.0b5
- New calendaring mode with overlay views
- Ability to open other user's calendar without adding the whole mailbox
- Support for theming and new Scalix Default theme
- Reduced server load and improved performance when handling large mailboxes

### **Scalix Connect for Outlook (for Scalix "Premium" users only)**

- Support for Windows Vista 32-bit/64-bit\*
- Improved SmartCache usability and stability
- Increased compatibility with additional AntiVirus, AntiSpam Packages

- Ability to use multiple network names and IP addresses for connection configuration
- SSL certificate management integrated with Windows certificate store

\* Running Outlook 2003 and Outlook 2007 on Vista 64bit is subject to a number of issues and known limitations. Please see Bug [17250](#) for details.

## ***New Features in Scalix 11.3***

Scalix 11.3 provides the following new features:

### **General**

- Scalix now supports CentOS 4 and CentOS 5 for evaluation and community use on 32-bit and 64-bit Intel and AMD platforms
- The server package format has changed from .tar.gz to self-extracting shell archives with integrated checksum verification.

### **Licensing**

- Scalix Community Edition now includes 10 free Premium User licenses
- Scalix Community Edition no longer includes the Archiving Service

### **Scalix Server**

- The server can now automatically detect many character sets for messages with missing or incorrect MIME headers
- I18N character set support has been improved, especially for ISO-2022-JP and related proprietary character sets
- omscan now prints information about all problems fixed and the output format is more readable. More types of problems are found and repaired.
- The ommaint tool that was previously a separate download from the Admin Resource Kit has now been made an officially supported part of the product, under the name sxmaint. Please remove older versions of ommaint that you have installed in places such as /usr/bin or similar. Only the new version in /opt/scalix/bin/sxmaint should be used. Please see the man page for details.

### **Scalix Messaging Services**

- Scalix now provides CalDAV based access to the user's calendars

### **Scalix Web Access**

- SWA load time has been significantly improved in both WAN and LAN environments
- SWA now allows to run on all browsers based on the IE and Mozilla Gecko engines
- Messages can now be copied to other folders using Drag&Drop while holding the Control key
- User can now choose whether or not to include his signature when replying to or forwarding messages
- The Delete key can now be used to delete a message in the main window even when the preview pane is in focus

- Subfolders of Sent Items now show the To column instead of the from column, same as the Sent Items folder itself
- User can now see BCC information in Sent Items folder, for both preview and while reading a message
- User can now reset all preferences to system-defined defaults, useful when troubleshooting SWA
- The Address Book is now also accessible directly from the Toolbar independent of creating a message
- Administrator can now add custom menu items linking to external web pages in the swa.properties config file

### **Scalix Connect for Outlook (for Scalix "Premium" users only)**

- Scalix Connect for Outlook now supports Outlook 2007
- Scalix Connect for Outlook now supports connecting to Scalix Server securely without a VPN via UAL over SSL
- Items in the user's inbox can now be modified, including attachments, consistent with Outlook running against Exchange

## ***New Features in Scalix 11.2***

Scalix 11.2 provides the following new features:

### **General**

- Support for Fedora Core 5 is replaced with support for Fedora 7 on 32-bit and 64-bit platforms
- Support for OpenSuSE 10.1 is replaced with support for OpenSuSE 10.2 on 32-bit and 64-bit platforms
- For use in Service Provider environments, a feature can be enabled through an additional license that enables the partitioning of a single Scalix instance into multiple independent partitions, each with their own Address Book/Global Address List, without use of additional resources. This enables the use of Scalix in multi-tenant environments such as hosted ISP and ASP offerings. Please contact Scalix Sales ([info@scalix.com](mailto:info@scalix.com)) for licensing details for this feature.

### **Server**

- The sxaa tool that was previously a separate download from the Admin Resource Kit has now been made an officially supported part of the product. Please remove older versions of sxaa that you have installed in places such as /usr/bin or similar. Only the new version in /opt/scalix/bin should be used.
- omscan can now be setup to run only during certain times of the day to prevent overload (Enhancement [14894](#))

### **Scalix Connect for Outlook (for Scalix "Premium" users only)**

- Scalix Connect now provides full support for synchronization of devices running Windows Mobile 2005 or Windows Mobile 6 with Microsoft Active Sync 4.5 against Outlook 2003 over USB. (Note: a couple of rarely seen issues remain; please see [Known Issues](#) under Scalix Connect for Outlook for details)

## ***New Features in Scalix 11.1***

Scalix 11.1 provides the following new features:

### **Scalix Server**

- Scalix Server supports Red Hat Enterprise Linux 5 (RHEL 5) on 32-bit (i386) and 64-bit (x86\_64) platforms
- SMTP tracing can be activated externally without restarting the SMTP relay (Enhancement [15268](#))
- Message IDs of processed messages are now shown on the processes command line in ps output (Enhancement [15272](#))

### **Scalix Web Access**

- Added menu item so that the user can clear his Nickname/Address resolution cache (Enhancement [15274](#))

### **Scalix Connect for Outlook (for Scalix "Premium" users only)**

- Scalix SmartCache has been enhanced to automatically recreate a deleted cache and to manually recreate the cache for troubleshooting purposes without recreating the user's profile (Enhancements [13518](#), [15307](#))

### **Scalix Connect for Evolution**

- Scalix Connect for Evolution supports Novell Evolution 2.8 on Fedora Core 6 (Support for other Linux Desktop platforms is available through provided source code for Scalix Connect for Evolution that can be compiled on any platform running Evolution 2.4, 2.6 or 2.8)

## ***New Features in Scalix 11.0***

Scalix 11 includes many new product features and improvements across all product components:

### **Scalix Mail Server**

- Unicode/UTF-8/Double-Byte character set support.
- Handles arbitrary character sets.
- New import tools for backup and restore (sxmboxexp and sxmboximp).
- Deployment tracking.

### **Scalix Web Access**

- Full support for shared folders and delegation for both the principle (to set up delegation) and the delegate (to access the principle's folders and act on their behalf).
- Improved email search - simple and fast.

- Context-sensitive rollovers provide rapid browsing of appointments, contacts, and message previews.
- Fast, powerful folder views.
- Indexing of message-headers provides rapid startup and folder access.
- Improved Contacts interface provides simple, powerful access to your address book.
- New Out of Office assistant (interoperable with Outlook).

### **Scalix Connect for Outlook (for Scalix "Premium" users only)**

- New SmartCache feature improves performance and reduces bandwidth use by putting a copy of the user's mailbox on the local computer.
- Improved PDA sync via certified support of PDA cradle synchronization. One version of software for PalmOS, Windows Mobile, and Blackberry devices.
- Full support for shared folders and delegation for both the principle (to set up delegation) and the delegate (to access the principle's folders and act on their behalf).

### **Mobility**

- Scalix Mobile Web Client runs on HTML browsers on any wireless devices and allows the user to perform simple operations such as read the Inbox, and reply or forward messages.

### **Management and Administration (Scalix Management Console)**

- Resource management via the Scalix Management Console.
- Extensions now available via Management Plugins.
- More user attributes exposed through the console

### **Services Architecture**

- Scalix Messaging Services provides server-based web services around mail and calendaring.
- Scalix Management Services provides SOAP-based APIs enabling management, administration and provisioning. Enhances ability to manage resources from the Scalix Management Console.

### **Internationalization and Localization**

- Internationalization via global character sets.
- Localization kits for Outlook, SWA, and search kits.

### **Scalix Search and Indexing Service**

- On-demand indexing of all private and public folder messages as they are added to the store.
- Sub-second, mailbox-wide message retrieval.
- Web services interface available.
- Localizable.
- Built on open-source Lucene technology.

**Note:** This product includes a 'phone home' feature, which, for Community Edition installations, summarizes basic server and installation information such as platform type and number of users, and periodically sends it back to Scalix via email. This information helps Scalix to track product usage statistically and better plan our upcoming releases. The information is also sent by email to your administrator account so that you can confirm that the content is simple, transparent and non-sensitive. Except where disallowed by local statute, it is a violation of the licensing conditions to disable or circumvent this feature. Installing a Small Business or Enterprise Edition license key deactivates this feature.

**Note:** Group scheduling features and public folders in Scalix Connect for Evolution are available only to Scalix Premium users, not Standard users.

---

[Back to top](#)

## Changes and Fixes in Scalix 11.x

### *Changed/Fixed in 11.4.4*

#### Scalix Admin Tools

- Bug [19410](#) [Defect] 'Create New Resource' window doesn't refresh completely
- Bug [19756](#) [Defect] Typo in SAC for delegate administration

#### Scalix Server

- Bug [9711](#) [Defect] omcpoutu / omcpinu fails to save and/or restore IMAP flags
- Bug [14731](#) [Defect] IMAP "FETCH BODY[TEXT]" for multiple messages produces invalid output
- Bug [15077](#) [Enhancement] sxmkindex should take relative time as an option
- Bug [15513](#) [Defect] IMAP LIST strips leading and trailing spaces from folder names
- Bug [15662](#) [Defect] Meeting Request from sent from Windows Mobile device doesn't appear correct in Outlook or SWA
- Bug [15757](#) [Defect] omscan tool saves last run time in language dependent format
- Bug [16577](#) [Improvement] unix.in should not log message about hosting mode for every message received
- Bug [18343](#) [Defect] Lotus Notes/Domino originated meeting request invisible in CalDAV scheduling inbox
- Bug [18711](#) [Improvement] omcheck should report/fix files that affect users access and files in ~/sys
- Bug [18839](#) [Defect] Sometimes 'Cannot SELECT' Calendar folder in IMAP
- Bug [18871](#) [Defect] Omscan fails to correct certain file size errors
- Bug [18936](#) [Improvement] sxmaint to check for files in xport.errs and xport.hold
- Bug [19044](#) [Improvement] UAL\_LIST and UAL\_PRPLIST should return same total message tally
- Bug [19060](#) [Defect] missing dependency for scalix-server package
- Bug [19068](#) [Defect] Invalid container ref WARNINGS can cause IMAP login failures
- Bug [19081](#) [Improvement] Better error handling in IMAP daemon when using the ct\_\* library
- Bug [19086](#) [Defect] omsmtpd coredump in SASL authentication code

- Bug [19122](#) [Defect] Copying of remote modtimes files can cause messages to be apparently missing from mailbox display
- Bug [19132](#) [Improvement] indexer daemon should be logging to event log
- Bug [19161](#) [Defect] omscan: Background service repeatedly and incorrectly reports user mailbox corruption after initial error
- Bug [19169](#) [Enhancement] Server to use new SIS "Mailbox MOVE" command to better support index updates
- Bug [19172](#) [Enhancement] Add a special message update IMAP Extension command X-SCALIX-UPDATE
- Bug [19180](#) [Defect] Multi-user add/remove on a PF can cause caching errors
- Bug [19192](#) [Defect] For shared folders when deleting an item (X-MOVE to "Deleted Items"), item is still visible for other users
- Bug [19219](#) [Improvement] MAIL-SYSTEM should have a valid SMTP-address
- Bug [19240](#) [Defect] Local Delivery ist crashing with a specific message
- Bug [19263](#) [Improvement] Indexer compatibility code for old and new indexwork files
- Bug [19284](#) [Defect] SWA use with user with German setting leads to duplicate Contacts folder, not allowing to create contacts in SWA
- Bug [19290](#) [Defect] UAL LIST - folder ModifyTime does not reflect all content changes
- Bug [19296](#) [Defect] The \\Flagged IMAP flag is not updated when subsequent users access a Public Folder
- Bug [19297](#) [Improvement] Should fix useability issues "md" function in omcontain
- Bug [19298](#) [Defect] \\Flagged changes are not propagated across multiple active users
- Bug [19304](#) [Enhancement] sxmkindex should have option to delete index first before reindexing
- Bug [19317](#) [Defect] 8 bit characters in Message-ID causes malformed XML for SWA
- Bug [19333](#) [Defect] cts with a scalix id and scalix props data can fail to refresh SATELLITE cache
- Bug [19338](#) [Defect] When adding additional servers or mailnodes, sometimes the mailnode mapping does not configure correctly
- Bug [19339](#) [Improvement] Message-IDs containing invalid characters should be sanitized by unix.in and in.imap41d
- Bug [19346](#) [Defect] iCal.app processed meeting requests with "{" in the UID result in CalDAV problems with filename of Calendar entry
- Bug [19363](#) [Defect] Msg with large distribution lists can become corrupt (missing parts) some days after delivery
- Bug [19368](#) [Defect] "Null" MOVE can result in invalid imap-cache synchro
- Bug [19408](#) [Defect] "Null move" does not generate the correct UAL\_GETSYNC records
- Bug [19416](#) [Defect] Auto-generated text/plain part of Calendar items does not contain a "charset"
- Bug [19430](#) [Improvement] Output for omshowu should say 'Excluded from Tidyall'
- Bug [19466](#) [Defect] omtidyu doesn't works properly for Inbox sub-folders
- Bug [19481](#) [Defect] Error occurs when editing a rule for a user with comma in its display name
- Bug [19553](#) [Improvement] Extend sxmboxlist to handle special folder inconsistencies
- Bug [19573](#) [Improvement] X-UPDATE should permit updates which include multiple x-scalix-properties MIME parts
- Bug [19586](#) [Improvement] Clearer error messages for certain indexer situations
- Bug [19595](#) [Documentation] minor omshowlog man page cleanup
- Bug [19596](#) [Improvement] mime.browse/index.browse to optionally return proper error codes
- Bug [19597](#) [Improvement] mime.browse/index.browse to show proper usage

- Bug [19623](#) [Defect] Null HTML content can occur with auto-forwarding to external mailbox
- Bug [19626](#) [Improvement] 'msl' library does should cache system directory handle
- Bug [19627](#) [Defect] Invitations coming in from livemeeting.com cannot be opened by Outlook. Problem with TRIGGER:PT15M
- Bug [19657](#) [Defect] Calendar unviewable when loading it from CalDAV client
- Bug [19667](#) [Defect] Non-MAPI clients have restricted access perms for msgs with MAPI properties
- Bug [19678](#) [Defect] Outlook sees corrupted appointment if recurrence updated from SWA
- Bug [19683](#) [Improvement] X-SCALIX-UPDATE should be an advertised capability
- Bug [19685](#) [Defect] IMAP fetch immediately after append can fail, resulting in iCal accepting Meeting request getting HTTP 500
- Bug [19707](#) [defect] IMAP "STATUS Calendar MESSAGES" command returns a negative value after an X-UPDATE of an appointment
- Bug [19723](#) [Defect] IMAP FETCH BODYSTRUCTURE returns wrong encoding and size information
- Bug [19733](#) [Improvement] in.imap41d and other processes should not call getpwnam,getpwuid functions
- Bug [19739](#) [Defect] Sync (UAL\_GETSYNC) can omit new msgs if ctner attach order is changed by null-move/modify operation (master copy mod)
- Bug [19760](#) [Defect] Appending a text/calendar iCal to the Calendar without an ORGANIZER entry causes corruption of the ATTENDEES
- Bug [19768](#) [Defect] Indexer sometimes logs the wrong SIS status code
- Bug [19795](#) [Defect] User can sometimes receive empty emails when server is using more then the default local delivery service
- Bug [19863](#) [Improvement] Server should escape ampersand (&) character in XML snippet in o=MyContacts LDAP source
- Bug [19865](#) [Defect] unix.in process dies with certain message
- Bug [19870](#) [Improvement] Should not use sxmboxlist in proxy folder scripts for improved performance

## Scalix Messaging Services

- Bug [16234](#) [Improvement] accessing the root /mailbox uri should show the mailbox listing for the user listed in the URL
- Bug [16407](#) [Enhancement] Should be able to logout of DAV (and REST) sessions
- Bug [17198](#) [Defect] Empty search results cause platform rendering error for swa renderer
- Bug [17842](#) [Defect] Concurrency/race conditions exist with concurrent imap operations on the platform
- Bug [18020](#) [Defect] Calendar Interop - SWA & Outlook & iCal.app do not work properly with exceptions from reoccurring appointments
- Bug [18299](#) [Defect] If SIS returns an invalid DREF, Platform-Search falls over completely while creating result set
- Bug [18560](#) [Improvement] Platform should not close the folder when selecting a different folder from the current
- Bug [18898](#) [Improvement] Body fetch command should not cause sync failure when message itself is missing
- Bug [18907](#) [Defect] General Renderer concurrency issue triggered in ActiveSync Situations

- Bug [19001](#) [Defect] Auto-REINDEX script won't run on installations without SCALIX server
- Bug [19018](#) [Defect] Platform session state is preserved even though the notification session is broken
- Bug [19019](#) [Defect] Remove message from cache logic produces false message removals
- Bug [19022](#) [Defect] Platform response rendering code has concurrency issues
- Bug [19049](#) [Improvement] Platform response rendering code should be cleaned for concurrency issues
- Bug [19056](#) [Improvement] Platform should implement/support Scalix's IMAP X-Move command
- Bug [19088](#) [Improvement] Platform notification should be able to consume unsolicited STOPPED events
- Bug [19092](#) [Improvement] EventServer connection usage in the platform should be more robust
- Bug [19129](#) [Enhancement] Platform requires the ability to delete and rename folder objects
- Bug [19133](#) [Enhancement] Add capability to use X-SCALIX-UPDATE in platform
- Bug [19149](#) [Enhancement] Add capability to retrieve preference messages by subject
- Bug [19150](#) [Enhancement] Provide RESTful interface to determine count of outstanding items in notification queue for a client
- Bug [19178](#) [Enhancement] Platform should provide an API to search the Scalix System Directory
- Bug [19322](#) [Defect] Filtered UID Set API requests on Contacts folder returns expunged messages
- Bug [19331](#) [Enhancement] Add capability to save sent message in sent items when requested
- Bug [19361](#) [Enhancement] Add timestamps to 'response' element in the response of userinfoServlet
- Bug [19362](#) [Defect] CalDAV not displaying the correct part data for ical messages
- Bug [19365](#) [Defect] Server delivers non-RFC conformant message without From: field over IMAP, resulting in SWA falling over
- Bug [19379](#) [Defect] Changes to a Inbox message in Outlook are not propagated to SWA
- Bug [19394](#) [Defect] Platform's simpleHtml renderer susceptible to cross-site scripting
- Bug [19415](#) [Defect] DAV's HTML render susceptible to cross-site scripting
- Bug [19432](#) [Improvement] Notifications servlet should test if notification server is running
- Bug [19440](#) [Defect] Platform individual body part fetch is failing with ClassCastException
- Bug [19444](#) [Defect] Updated appointments in SWA disappearing from the calendar until next login
- Bug [19474](#) [Improvement] Fetch messages by directref should not individually fetch missing message parts
- Bug [19479](#) [Defect] ImapUpdateCommand and ImapStoreCommand retrieving the IMAP response UID incorrectly
- Bug [19487](#) [Defect] Empty MessageRef result against Calendar folder with no results throws NullPointerException
- Bug [19502](#) [Documentation] Update Scalix Messaging Services RESTful API Online Documentation
- Bug [19513](#) [Documentation] Built-in documentation refers to Scalix Web Services
- Bug [19549](#) [Defect] sxpsql-reindex and sxpsql-vacuum fail to escape special characters in postgresql passwords

- Bug [19551](#) [Enhancement] DeliveryServlet Forward should save the a forwarded message in Sent Items
- Bug [19581](#) [Enhancement] Expose authid in userinfoservlet
- Bug [19674](#) [Improvement] Add favicon to SimpleHTMLRenderer
- Bug [19703](#) [Defect] Platform incorrectly creating multiple IMAP connections (actually Context objects) for the same user
- Bug [19725](#) [Improvement] Simultaneous DAV requests should not start up multiple DAVServices
- Bug [19800](#) [Defect] Platform can fetch message details for imap messages that have not properly fetched directrefs
- Bug [19841](#) [Defect] Erroneous errors for caldav user is presented when fetching the body

## Scalix Search and Index Services

- Bug [18620](#) [Defect] Can't find messages moved to another folder by client in certain situations
- Bug [19320](#) [Defect] Admin command to get all refs in index often returns the wrong number
- Bug [19521](#) [Improvement] Index file is not created during DELETE request
- Bug [19761](#) [Defect] Some calendar messages cannot be parsed by SIS

## Scalix Web Access

- Bug [8441](#) [Defect] PDL name after "&" is stripped off
- Bug [17355](#) [Improvement] Timer settings for message refresh should take effect immediately
- Bug [17536](#) [Defect] SWA mangles text attachments
- Bug [17696](#) [Defect] Calendar loading at startup which causes a failure or timeout can not be recovered
- Bug [17996](#) [Defect] iCal.app rejects SWA originated UPDATE because meeting\_update\_count=0 i.e. SEQUENCE:0
- Bug [18181](#) [Defect] Resource's calendar added as additional calendar indicates null's calendar
- Bug [18305](#) [Defect] SWA Reply icon does not change in some situation
- Bug [18617](#) [Improvement] Add additional tracking information to track creation of partial message set
- Bug [18634](#) [Defect] Exception for recurring Calendar entry adds extra occurrence
- Bug [18675](#) [Defect] Blocks of messages can be lost during initial folder population due to server timeout
- Bug [18764](#) [Defect] SWA cannot display calendar tab, until the calendar is loaded
- Bug [18817](#) [Improvement] Remove CSS Warnings caused by SWA
- Bug [18834](#) [Defect] Toolbar Label Element have a light color in Classic Theme
- Bug [19030](#) [Defect] Calendar can get corrupted in Outlook when exceptions are made to recurring event via SWA
- Bug [19213](#) [Defect] Changing the File As field is not reflected when reopening the contact window in SWA
- Bug [19294](#) [Defect] 'Flagged' status of Public Folder msg not seen by all other SWA users
- Bug [19311](#) [Defect] SWA is downloading all CSS files in addition to concatenated one
- Bug [19427](#) [Defect] With calendaring turned off, cannot delete emails in SWA
- Bug [19497](#) [Defect] Ampersand (&) in Calendar Folder name breaks calendaring

- Bug [19609](#) [Defect] Cannot execute X-UPDATE on folders with 'Special Characters'
- Bug [19677](#) [Defect] Existing attachments do not show up in attachment list when editing an appointment (in same SWA session)
- Bug [19830](#) [Defect] Recipient table in SWA Accept messages missing entry for organizer

## **Scalix Connect for Outlook**

- Bug [11700](#) [Enhancement] Support for MSN/Windows Desktop Search to index Scalix mail
- Bug [17204](#) [Defect] OL12 - Progress indicator stalls if click in Contents pane while large folder being opened
- Bug [18280](#) [Improvement] Scalix Connect Auto Upgrade message should be properly wrapped
- Bug [18528](#) [Defect] Wrong message counts after dragging msgs from public folder to Inbox
- Bug [18541](#) [Defect] Outlook crashes while searching mails in online mode
- Bug [18763](#) [Defect] CacheMgr shuts down when do Tools->Scalix Props->AdvancedTab->SmartCacheSettings
- Bug [18884](#) [Enhancement] Connector auto upgrade log should have more information
- Bug [18888](#) [Defect] SXLSRV32 pop up: "No current record"/"Kein aktueller Datensatz"
- Bug [18909](#) [Defect] Autoupgrade with bad version info breaks Connector installation
- Bug [18910](#) [Defect] pop-up error from SXLSVR32: "Record is deleted"/"Datensatz ist gelöscht"
- Bug [18971](#) [Defect] Wrong pop-up message generated after the autoupgrade
- Bug [19027](#) [Defect] WMDC 6.1 (64bit and 32 bit) on Vista64 and 32 crashes when syncing Notes
- Bug [19084](#) [Defect] UAC blocks updates to certificates file
- Bug [19189](#) [Defect] Outlook crashes sporadically while accessing mailbox on Japanese Vista & Outlook
- Bug [19239](#) [Improvement] Autoupgrade status indicator should have scalix icon
- Bug [19255](#) [Enhancement] Connector version number should automatically be included in upgrade message subject
- Bug [19262](#) [Defect] Delegates cannot see an Mail marked as "Private"
- Bug [19268](#) [Improvement] Should rationalise sxservice log entries seen in update message
- Bug [19283](#) [Defect] sxualwsd32 stopped working on exiting Outlook
- Bug [19383](#) [Defect] Scalix does not appear in German profile creation options with 64bit OS
- Bug [19460](#) [Defect] Mouseover on SmartCache icon has incomplete text
- Bug [19558](#) [Defect] Outlook crashes when setting resource options while offline
- Bug [19749](#) [Defect] "Save PW" missing from Scalix Props when Work Offline ticked
- Bug [19751](#) [Defect] Multiple profile prompts during autoupgrade
- Bug [19785](#) [Improvement] Performance for opening large folders
- Bug [19842](#) [Defect] HTTPUpdateInstallMgr setting in mapi.cfg doesn't work
- Bug [19895](#) [Defect] iTunes OutlookSyncClient crash with Scalix installed

## ***Changed/Fixed in 11.4.3***

## **Scalix Admin Tools**

- Bug [14881](#) [Defect] JS error on refreshing \*Corrupt Message \*queue after reading a message from queue
- Bug [15751](#) [Enhancement] License status screen is required
- Bug [15756](#) [Improvement] Should be able to hide Scalix default admin groups from address book through SAC
- Bug [16077](#) [Improvement] SAC: Fix font and message for launch
- Bug [17026](#) [Improvement] Milter and proxy folder services should show up in SAC.
- Bug [17431](#) [Improvement] Should automatically cycle RCI, local, and router when limits are changed
- Bug [18075](#) [Improvement] Allow users to login to SAC using their email address or auth id
- Bug [18153](#) [Improvement] Scroll-bars should be present for panes in the administration console
- Bug [18209](#) [Improvement] 'Authentication ID Domain' field should be disabled by default in SAC.
- Bug [18251](#) [Defect] SAC fails with routes with wildcards in the routing table
- Bug [18431](#) [Defect] Unable to create new users with SAC/omldapsync in multi-server environment
- Bug [18439](#) [Defect] SAC in German has "undefined" for several string variables
- Bug [18445](#) [Improvement] Display hosted node.domain in SAC under Server Info for delegated admins
- Bug [18532](#) [Improvement] Hide Server as a filter in User/Resource/Group from delegated admins in hosting mode
- Bug [18697](#) [Defect] Installer cannot continue if the JRE package was installed first

## Scalix Server

- Bug [14181](#) [Improvement] omreset has references to /var/opt/scalix and /opt/scalix/global/config
- Bug [15024](#) [Defect] Email missing when smartcache enabled
- Bug [15173](#) [Defect] IMAP SEARCH SENTON <date> doesn't work.
- Bug [16143](#) [Defect] omaddu does not use instance hostname, but host fqdn
- Bug [16284](#) [Defect] SMINTFC messages are missing orig-date field according to RFC-2822
- Bug [16287](#) [Improvement] unix.in should have better error message when charset converter for iconv is missing.
- Bug [16477](#) [Defect] memory leak in omslapdeng when using external PAM authentication with SSL/TLS
- Bug [16567](#) [Defect] Canceled meetings with exception from Exchange causes unix.in abort
- Bug [17771](#) [Improvement] sxmaint should check/fix sendmail not running situation
- Bug [17912](#) [Improvement] sxmaint outputs the entire fatal log in some instances unnecessarily
- Bug [17936](#) [Defect] omldaputil significantly slower since upgrade from 11.1
- Bug [18033](#) [Improvement] omldapsync should cleanup PID file on exit
- Bug [18104](#) [Defect] Fetching a new Contact from "Contacts" result in duplicate headers
- Bug [18105](#) [Defect] X-SCALIX-PROPS updates do not take affect until a CORE restart
- Bug [18149](#) [Defect] Recurrence exceptions created in ical.app are not reflected in Outlook
- Bug [18182](#) [Defect] Accessing additional calendar from api/dav/.../Calendar leads to 404 NotFound exception

- Bug [18184](#) [Defect] Satellite server crashes and doesn't respond to omshut after invalid APPEND
- Bug [18195](#) [Defect] Use of parentheses in UID SEARCH can lead to SAT server crashes
- Bug [18221](#) [Defect] IMAP folder cache goes stale after moving messages into a Public Folder
- Bug [18277](#) [Defect] certain messages can prevent access to a mail folder
- Bug [18316](#) [Defect] Premium users can see public folders of other mailnode in SWA
- Bug [18330](#) [Defect] Number of occurrences reduced by 2 when 1 instance deleted by iCal.app
- Bug [18332](#) [Defect] ICAL resulting from iCal.app UPDATE augmented with RSVP=TRUE
- Bug [18342](#) [Defect] omldapsync not working on RHEL4 with jre-1.5.0\_13
- Bug [18344](#) [Defect] Cannot add company public proxy folder if mailnode hosting is enabled
- Bug [18386](#) [Defect] Messages can get stuck in the Sendmail Interface Queue if sendmail rejects them
- Bug [18421](#) [Enhancement] sxmbolist: Add options for listing folder and message DirectRefs
- Bug [18427](#) [Improvement] omconfenu should allow PDL to be specified
- Bug [18442](#) [Defect] Week Day recurrences are incorrectly rendered in ICAL with invalid INTERVAL=0 on RRULE (INTERVAL parameter should be absent or 1)
- Bug [18496](#) [Defect] Using sxmbolist command, mails from subfolder are not shown.
- Bug [18498](#) [Defect] omshowu ignores filtering locked users when displaying authentication ids
- Bug [18508](#) [Defect] Bad jpg message part causes unix.in to go to 100%
- Bug [18556](#) [Defect] "Flagged" flag does not persist properly in the IMAP cache
- Bug [18564](#) [Defect] Mime Browser Controller mime.control aborts if no item number specified for index.browse
- Bug [18579](#) [Defect] omshowpdl doesn't work with PDLs that begin with "all"
- Bug [18613](#) [Defect] Canada/Eastern default timezone not recognized, resulting in UTC being used for hard start and end of All day appointments
- Bug [18656](#) [Defect] SmartCache Shows Green X Icon - Error 2501

## Scalix Messaging Services

- Bug [14957](#) [Improvement] Proper setup for Auto-Vacuum in Postgresql
- Bug [15146](#) [Improvement] Decrease time Global searches take
- Bug [18113](#) [Defect] <getcontenttype> for DAV text/calendar items reported as message/rfc822
- Bug [18308](#) [Defect] A message imported into SWA in a folder then moved to the inbox causes a platform cache failure
- Bug [18339](#) [Improvement] Proper setup for Auto-REINDEX in Postgresql

## Scalix Search and Indexing Services

- Bug [16486](#) [Improvement] SIS should have a default log4j.properties installed in the sis config directory
- Bug [18245](#) [Defect] Search results are always truncated to 189 hits.
- Bug [18405](#) [Defect] search from SWA may not work when LANG is not set to en\_US.UTF-8

## Scalix Web Access

- Bug [4099](#) [Defect] locked account gets "username or password is incorrect" msg
- Bug [12954](#) [Defect] Pressing Tab in forward window moves cursor to the wrong position]
- Bug [14558](#) [Enhancement] swa not displaying ical message correctly for standard user
- Bug [16824](#) [Defect] Hovering over a recurring appointment shows the base-appointment information not the occurrence information
- Bug [17458](#) [Defect] On FF3/Mac, calendaring FreeBusy screen cutoff at lower end when adding many recipients
- Bug [18018](#) [Improvement] In Permission Window, last newly added user should be highlighted/selected
- Bug [18191](#) [Improvement] Add some icons in the menu
- Bug [18199](#) [Defect] Time Option Menu in SWA is Faded in Firefox
- Bug [18306](#) [Defect] Appointment in the "Month view" are not displayed correctly
- Bug [18363](#) [Defect] SWA displays erroneous 'location' field when displaying a recurring appointment that was created in Outlook with no location in the base appointment, but with a location in an exception
- Bug [18437](#) [Defect] SWA does not display message body for some messages.
- Bug [18566](#) [Defect] Names and free/busy grid are not aligned in scheduling tab
- Bug [18569](#) [Defect] free/busy grid is off by a pixel every 5th line

## Scalix Connect for Outlook

- Bug [14521](#) [Defect] Unable to archive "Sent Items" folder at all
- Bug [15802](#) [Defect] User name in double bytes are not properly handled
- Bug [16136](#) [Defect] Controls missing from Scalix props when accessed from Control Panel
- Bug [16647](#) [Defect] Message stuck in Outbox, need to send another to clear, then that one gets stuck
- Bug [17716](#) [Defect] SXLogger appears during install
- Bug [17833](#) [Defect] ActiveSync does not sync group invitation calendar items
- Bug [18000](#) [Improvement] sxlogger should cleanly terminate on Outlook shutdown
- Bug [18115](#) [Defect] Embedded images in multipart/related structure not displayed properly in smart cache mode
- Bug [18285](#) [Defect] Outlook Archive appears to fail with SmartCache
- Bug [18338](#) [Defect] Corrupt recurrence dialog causes OL11 crash in side-by-side view
- Bug [18443](#) [Defect] Some items don't display in SmartCache
- Bug [18530](#) [Defect] Scalix connect for wireless 11 - incompatible meeting requests generated by users with german umlauts and mapi 11.4.3.7770
- Bug [18533](#) [Defect] can not resend sent message if username has TX-Attribute
- Bug [18537](#) [Defect] can not open items created by a mailbox with accentuated characters
- Bug [18671](#) [Defect] SXCACHEMGR.EXE sometimes doesn't shut down

## Scalix Installation

- Bug [15294](#) [Improvement] Postgres instance should have logging on by default
- Bug [18461](#) [Improvement] Merlin should preserve SIS log4j.properties file during SIS upgrade

## ***Changed/Fixed in 11.4.2***

### **Scalix Admin Tools**

- Bug [16691](#) [Defect] Updated licenses not reflected by SAC
- Bug [17432](#) [Defect] Can't assign additional addresses to hosted mailnode users in SAC

### **Scalix Server**

- Bug [14927](#) [Documentation] omtidyu man page contains wrong explanation for example
- Bug [15234](#) [Improvement] Prefix searches should work for SWA, IMAP and Outlook/Advanced-Find
- Bug [15729](#) [Defect] omlimit output have incorrect Name expansion
- Bug [16299](#) [Improvement] "conversation\_topic" should not be used for ICAL SUMMARY
- Bug [16317](#) [Defect] Use of omtidyallu increments the 'bad password count' for users
- Bug [16632](#) [Documentation] sxmbboxexp man page has incomplete explanation
- Bug [16767](#) [Defect] Polish characters don't show up properly in SWA.
- Bug [16949](#) [Defect] modifying appointment subject in swa is not reflected in CalDAV
- Bug [17299](#) [Documentation] omconflvl man page wrong default for log size
- Bug [17373](#) [Defect] ldapmapper doesn't deal with request server scripts
- Bug [17555](#) [Improvement] Milter should work on Debian/Xandros
- Bug [17595](#) [Defect] Certain email causes IMAP process to hang
- Bug [17671](#) [Defect] SWA interprets Publish-Type iCalendar attachments as Invitations and makes underlying email unreadable.
- Bug [17769](#) [Improvement] All "Special Folders" should be mapped to there normalized English names when exposed through IMAP
- Bug [17784](#) [Defect] All day recurrence - exception is 24 hour not ALL DAY in ICAL
- Bug [17809](#) [Defect] Meaningless message logged as warning and errors processing invites when Timezone configuration of system is incomplete.
- Bug [17907](#) [Defect] Meetings in the Organizer's Calendar are not recognized as belonging to the organizer in SWA
- Bug [17911](#) [Improvement] Some errors shouldn't go into fatal
- Bug [17919](#) [Defect] error messages in fatal when running under en\_AU.UTF-8 as system locale
- Bug [17926](#) [Defect] IMAP server process aborts, reporting issue in icalparameter\_new\_tzid
- Bug [18063](#) [Defect] SMTP discard actions can cause problems with milter interface

### **Scalix Messaging Services**

- Bug [15605](#) [Defect] iCal.App deleting single instance of recurrence does not appear to work for ICAL clients
- Bug [17742](#) [Improvement] Should support interoperability for modifying calendar description between Outlook2k3, SWA and CalDAV

### **Scalix Search and Indexing Services**

- Bug [14904](#) [Improvement] Search should find substring and prefix results
- Bug [17847](#) [Defect] SIS cannot parse search strings containing nested quotes

- Bug [17922](#) [Enhancement] Add a SIS searcher property to control use of leading wildcard searches
- Bug [17974](#) [Improvement] Opportunity to optimize some Thunderbird (& other IMAP client) searches

## Scalix Web Access

- Bug [14418](#) [Defect] Duplicate appointments appear when modifying appointments in shared calendars
- Bug [14686](#) [Defect] SWA user can't open attachment having I18N char in filename in calendar
- Bug [15211](#) [Defect] Appointment created in SWA, spanning between two months, does not show in monthly views for second month
- Bug [15447](#) [Improvement] Stop Mouse cursor from jumping around when moving area borders in Firefox
- Bug [15878](#) [Improvement] Firefox should support additional key sequences for SWA: Ctrl+cursors, Ctrl+Backspace and Ctrl+Delete
- Bug [16714](#) [Improvement] Multi-Day All-Day and recurring appointments should show up on all there relevant days in Upcoming Appointments
- Bug [16737](#) [Enhancement] Confirmation for deleting folder
- Bug [16980](#) [Defect] Adding resource manually gives error.
- Bug [17375](#) [Improvement] Provide for more common order for date and time fields in appointment window
- Bug [17774](#) [Defect] Read receipts are send when Preview Pane is disabled
- Bug [17775](#) [Improvement] Things that cannot be themed
- Bug [17780](#) [Defect] SWA does not show FF3 as supported in Browser Reject
- Bug [17810](#) [Defect] "view" string in calendar sets view is not visible when translating to French and opening in IE
- Bug [17821](#) [Regression] SWA direct resource booking broken
- Bug [17843](#) [Defect] Icon arrangement in folder list disturbs when entered long calendar name.

## Scalix Connect for Outlook

- Bug [10925](#) [Defect] extended characters do not display in Task owner's field
- Bug [11984](#) [Defect] Delegate permission message doesn't show extended chars in principal's name
- Bug [12027](#) [Defect] no extended chars in user's name in additional mailbox
- Bug [13162](#) [Defect] In calender attendees list certain 8-bit/double-byte user names appear as garbled
- Bug [13320](#) [Defect] Permissions tab only shows 7bit version of usernames
- Bug [15095](#) [Defect] Some locally created rules for PST files do not process as expected
- Bug [15493](#) [Defect] Moving messages between Mailbox and PST's causes Display Name corruption
- Bug [16368](#) [Enhancement] Require interoperability with Documentum client for Outlook.
- Bug [17155](#) [Defect] Corrupted recurrent Calendar items
- Bug [17382](#) [Defect] Outlook crashes when tries search a contact's activity
- Bug [17497](#) [Defect] Wrong unread count of INBOX when using filtering.
- Bug [17983](#) [Defect] German popup box refers to "Oline arbeiten" instead of "Online arbeiten"

## Scalix Installation

- Bug [15771](#) [Defect] Installer quits without warning if "dig" is not available
- Bug [15800](#) [Improvement] Installer should not reset the Postgres database
- Bug [17899](#) [Defect] On SuSE sxpsql-checkencoding always restarts postgres

## *Fixed in 11.4.1 U1*

## Scalix Web Access

- Bug [16980](#) [Defect] Adding resource manually gives error.
- Bug [17774](#) [Defect] Read receipts are send when Preview Pane is disabled

## Scalix Server

- Bug [17506](#) [Defect] Corruption of DREF data in the IMAP cache

## *Fixed in 11.4.1*

## Scalix Admin Tools

- Bug [14827](#) [I18N] User names appear garbled in Output of sxmbcprep and sxmkindex
- Bug [16731](#) Buttons in SAC not displayed properly
- Bug [17508](#) Firefox 3 causes popup dialog boxes to be huge rather than the correct size.
- Bug [17594](#) "Edit Setting" dialog in SAC not displayed properly

## Scalix Server

- Bug [12568](#) memory leak in local.delivery
- Bug [12984](#) Error on setting empty Out of Office reply
- Bug [15299](#) Duplicate Message Delivery can break when using multiple Local Delivery processes
- Bug [16030](#) IMAP subscribe/unsubscribe no longer works for public folders
- Bug [16254](#) search is generating requests that are too long to handle for httpd
- Bug [16503](#) IMAP Server responds with internal error message for user blocked from using SWA
- Bug [16676](#) Router is sending multiple copies of same message to remote server when sending to DL
- Bug [16848](#) mails sent to public folder appear as sent from envelope-sender
- Bug [16943](#) Index.browse looping
- Bug [17036](#) Removing 'Additional Mailboxes' from the folder tree gives error.
- Bug [17179](#) Some Proxy Folder message Distribution Lists not created in the PROXY domain.
- Bug [17249](#) Proxy Folder service errors go to ~/logs/daemon.stderr
- Bug [17282](#) sxdu includes content of Proxy Folders in size
- Bug [17338](#) Single blank character incorrectly terminates RFC2822 header
- Bug [17364](#) IMAP cannot login if user does not have top-level Public Folder permissions
- Bug [17388](#) SMTP relay MAX\_CLIENTS and MAX\_SUBPROCS settings not documented in smtpd.cfg template

- Bug [17391](#) Proxy Folders Unread handling
- Bug [17420](#) IMAP satellite connections are reported as "Unlicensed client"
- Bug [17433](#) The characters of Japanese Holiday Calendar are garbled in Proxy Folders
- Bug [17438](#) sxpfadd doesn't work in Hosting environment
- Bug [17469](#) Can't dismiss reminders in Proxy Folders
- Bug [17489](#) Index\_Browser causing OM 3005 error
- Bug [17556](#) SMTP Relay does not milter the 1st message after a restart
- Bug [17568](#) Certain message crashes SMTP relay with CT Milter turned on

## **Scalix Messaging Services**

- Bug [16804](#) Platform needs to treat subclasses of ItemClasses same as ItemClass
- Bug [17297](#) Monthly recurrences created by Apple iCal.app cannot be created (we expect BYMONTHDAY)
- Bug [17436](#) Color changes for calendars in SWA don't propagate to iCal.app
- Bug [17443](#) CalDAV returning Status Code 201=Created on modifies to calendar item
- Bug [17444](#) Pre-release Mozilla Calendar Meetings in Calendar end up with corrupt ORGANIZER
- Bug [17449](#) Sunbird pre-release CalDAV FREEBUSY lookups fail with 415 Unsupported Media Type

## **Scalix Web Access**

- Bug [3647](#) "test" button doesn't work in Properties / Receiving Mail in SWA
- Bug [14369](#) SWA show irrelevant message while login, when user does not have ability to access SWA.
- Bug [16554](#) Need a way to insert normal characters that match variable names in date formats.
- Bug [16720](#) Login window labels are too close to text entry fields.
- Bug [16728](#) Time not shown correctly
- Bug [16803](#) SWA needs to treat subclasses of ItemClasses same as ItemClass
- Bug [16878](#) Group Calendaring/Planning View
- Bug [17001](#) Need new way to indicate new mail...
- Bug [17148](#) wrong german translation in reminder pop-up
- Bug [17294](#) Hovering over an upcoming appointment causes some flickering when rendering the hoverover popup
- Bug [17362](#) Need instructions and possibly kit for additional SWA spell checker languages
- Bug [17419](#) swa.themes.available = false breaks Tools > Options
- Bug [17452](#) Special characters on international keyboards which are typed by holding the Right ALT key or CTRL + ALT don't work in the SWA text editor
- Bug [17466](#) Allday events created by Lightning show up on previous day consuming 0 time in SWA
- Bug [17490](#) print function in FF2 only prints first page
- Bug [17539](#) Improve logging around generic 'method\_name=send' error message
- Bug [17548](#) SWA shows partial list for Personal contacts
- Bug [17569](#) Scalix-Default: Background of main search results area should be white
- Bug [17598](#) Calendaring Toolbar has a number of minor visual oddities
- Bug [17602](#) Switching from custom theme to Scalix Default results in a very broken SWA.

## **Scalix Connect for Outlook**

- Bug [15195](#) "On behalf of" appends in "From" field when a message is resend.
- Bug [16774](#) inbound mail using ks\_c\_5601 in the header appear with Korean characters in Outlook
- Bug [16964](#) delegation problem with meeting-related messages
- Bug [17071](#) Outlook may loose connection to primary mailbox when using permanent delegate access to other mailboxes
- Bug [17149](#) OL12 hang on first run after installing new SP
- Bug [17332](#) Selecting work offline option makes outlook unstable on vista platform.
- Bug [17340](#) Hang on first use of Outlook 12
- Bug [17376](#) subjectAltNames not recognized by Scalix Connect for Outlook
- Bug [17410](#) German translation errors
- Bug [17504](#) Public Folders session receives notifs when change made to private store
- Bug [17507](#) Default logging settings can omit error level messages.
- Bug [17558](#) During a brute force refresh, new items are not detected
- Bug [17563](#) Brute force refresh inefficient and can crash Outlook

## **Scalix Installation**

- Bug [14663](#) SWA cannot be upgraded if a port number is defined in swa.properties for SMTP server
- Bug [15490](#) Upgrade loses log4j settings
- Bug [15987](#) /favicon.ico URL of Scalix virtual host should point to an appropriate icon file
- Bug [16049](#) When the platform code is upgraded the rpm overwrites any logging level changes
- Bug [17367](#) Snowmobile caldav doesn't work on Xandros Server 2.

## ***Fixed in 11.4***

## **Scalix Server**

- Bug [6644](#): Server should support MILTER interface on SMTP relay
- Bug [13350](#): Should support SMTP SIZE service extension (RFC 1653)
- Bug [13963](#): unread msgs in Unread Mail folder is different from Unread number
- Bug [15395](#): Content is not allowed in prolog - when accessing delegated calendar
- Bug [15409](#): Scalix Relay loses IP of message sender
- Bug [15718](#): omtidyu/omtidyallu need option to include/exclude object types
- Bug [16300](#): Outlook Originated All DAY events for BST (British Summer Time) shifted by one hour
- Bug [16418](#): message causes Outlook not to start
- Bug [16434](#): Indexer messes up load average calculations.
- Bug [16445](#): SMTP relay aborts when USERLIST is busy.
- Bug [16462](#): opt/scalix/template/tmp and opt/scalix/template/rules.eg world writable
- Bug [16470](#): Deleting unread msgs with concurrent usage gives incorrect unread msg count
- Bug [16475](#): sxmaint require execute bit set on /etc/opt/scalix/sxmaint.cfg
- Bug [16476](#): omlicmon still leaks a little - (follow on from bug 15862)
- Bug [16522](#): SMTP relay can "421 No resources" a message even when resources are available.
- Bug [16543](#): local.delivery looping when processing malformed message TF
- Bug [16603](#): Indexer is processing items that are not visible to the user

- Bug [16706](#): Inbound SMINTFC messages get placed on the ERROR queue when SMTP conversation is interrupted

### **Scalix Messaging Services**

- Bug [15585](#): I18N characters are not output to the text of the PREVIEW element in the XML output of REST API.
- Bug [15637](#): Platform sometimes issues several IMAP NOOPs a second
- Bug [16048](#): Failure to contact the notification service breaks swa
- Bug [16112](#): Can't create new Calendar using iCal.app
- Bug [16178](#): Database insert fails in platform
- Bug [16406](#): Hiding completed tasks can cause Lightning to display events in task view
- Bug [16491](#): changing display name for appointment fails in Sunbird/Lightning
- Bug [16670](#): Curly Brackets { and } are lost in CalDAV PUT or IMAP append
- Bug [16742](#): CalDAV/Lightning: Deleting events corrupts data in public folders
- Bug [16769](#): CalDAV/Lightning 0.8RC1: Recurring Events are not displayed
- Bug [16801](#): Platform database error when a message is moved between folders

### **Scalix Web Access**

- Bug [13224](#): Folder Permissions Window does not name folder for which permissions are changed
- Bug [14194](#): Multiple copies of drafts even when msg is sent properly
- Bug [15018](#): Long File Attachment Names are Being Truncated While Saving Using IE
- Bug [15786](#): SWA reports IMAP protocol errors as Evaluation period expiries
- Bug [16337](#): SWA gives #GUI022 error while accessing mail from Inbox randomly.
- Bug [16364](#): LDAP primary host should follow IMAP referral
- Bug [16382](#): Time for display update after click on message in list is too long.
- Bug [16424](#): When SMTP connection fails, user should be informed rather than silently saving to drafts
- Bug [16429](#): Spellchecker throws an internal error
- Bug [16430](#): "Splash Page Error" when logging in using the URL method with username and password parameters
- Bug [16435](#): From Bug 15018, comment #18: Filename in attachment header in received mail is truncated and not displayed anywhere
- Bug [16556](#): Meeting attendee gets rewritten as [object Object] after using "Add From Address Book"
- Bug [16616](#): email address isn't printed
- Bug [16847](#): SWA does not show new messages in header view

### **Scalix Connect for Outlook**

- Bug [12985](#): Outlook crashed when attempting to send encrypted mail; poor error handling too
- Bug [13104](#): Outlook 9 and 11 wizards prompt for cache location even before user has specified they want SmartCache
- Bug [13690](#): Outlook deadlocks on send mail with Kaspersky Anti-Virus/Active Virus Shield
- Bug [14281](#): Installer crashes at end of upgrade when started out of Windows compressed folder
- Bug [14590](#): Error reading data for a recurring Calendar item
- Bug [14682](#): "Optimize for Mobile Use" in SmartCache may lose changes.

- Bug [14833](#): SYSTEM address book not displayed when offline connection is re-established
- Bug [14910](#): No warning given when SmartCache reverts to SafeMode
- Bug [15240](#): setup.exe crashes at the end of install
- Bug [15306](#): Tray icon should show simplified status
- Bug [15385](#): [I18N] The last one character of display name is not displayed
- Bug [15432](#): Outlook crashes while saving a rule
- Bug [15480](#): Unable to create a rule using saved contact in personal folder
- Bug [15531](#): umlauts are not displayed in meeting request message body
- Bug [15639](#): Out of Office Agent will cause malformed read receipts
- Bug [15640](#): calendar view will not be updated after several changes within a reoccurring appointment
- Bug [15708](#): Doesn't contact Scalix Server using IP Address
- Bug [15797](#): sxlogger crash on exit
- Bug [16014](#): Outlook 2003 w/ SmartCache: empty attachment causes perpetual error on mailing
- Bug [16039](#): Outlook 2007: Deleting message in grouped subject view causes OL "Not Responding".
- Bug [16079](#): During profile creation with server using SSL, asks for certificate confirmation 4 times
- Bug [16169](#): OL profile created by wizard should not be SmartCache enabled by default
- Bug [16255](#): MAPI Installer gives error when stored inside a deep hierarchy of folders
- Bug [16262](#): Outlook crashes after delete or move a message.
- Bug [16398](#): Outlook displays invalid mail count after deleting large number of mails from folder.
- Bug [16447](#): SmartCache: Auto-file to subfolder doesn't increment unread count
- Bug [16584](#): connector should have at least a fallback to non\_ssl\_port connect via 5729
- Bug [16630](#): 11.3 Localization kit required
- Bug [16643](#): SSL should read root certificates from Windows Certificate Store rather than c:\program files\scalix\connect\cacerts.pem
- Bug [16675](#): [Outlook 2007] Subject etc lost when moving messages to PST
- Bug [16986](#): ServerName enhancements for Delegate connections
- Bug [17153](#): Progress indicator sometimes not visible or updated on OL12
- Bug [17191](#): pre-OL12 - Progress indicator stalls if click in Contents pane while large folder being opened
- Bug [17196](#): Use SSL option missing from profile wizard when creating non Kerberos profile

## **Scalix Installation**

- Bug [16657](#): On Debian platforms, scalix-tomcat init script does not set ulimit
- Bug [16705](#): Regression: Double FirstName in Internet address format

## ***Fixed in 11.3 U1***

## **Scalix Web Access**

- Bug [15018](#): Long File Attachment Names are Being Truncated While Saving Using IE
- Bug [16429](#): Spellchecker throws an internal error
- Bug [16430](#): "Splash Page Error" when logging in using the URL method with username and password parameters

## ***Fixed in Scalix 11.3***

### **Scalix Admin Tools**

- Bug [16040](#): omlapsync terminated during delta/mapping phase

### **Scalix Server**

- Bug [00928](#): Unread count can be incorrect for Outbox when viewed by Outlook
- Bug [03319](#): omscan reports contact with bad extension
- Bug [08166](#): omscan headings aren't very useful to administrators
- Bug [10259](#): omscan does not find containers wrongly attached to the User tray
- Bug [10306](#): omscan fails to delete old sockets in temp
- Bug [10379](#): Default Rule Ex:"C" <G.S> gets appended in Settings->FQDN->General tab->Mail Address Settings while modifying domain
- Bug [11729](#): omscan: doesn't have a column for Recovery folder size
- Bug [12415](#): All the contents after ÿ (Alt+y) are discarded in SWA when the message is sent through OL in RTF format.
- Bug [13079](#): I18N:OM 24142:Conversion from GB2312 to UCS2 not found for Outlook created msg with Chinese characters in body.
- Bug [13099](#): Unable to login SWA if the recovery folder visibility is set, for newly created user.
- Bug [13776](#): Rules created by outlook to match on "from people or distribution list" do not work
- Bug [13926](#): inappropriate german localisation for size limit warning
- Bug [14535](#): Redirect and file interaction leaving messages in intray
- Bug [15082](#): ommaint -weekly should do more with omscan
- Bug [15391](#): Only redirect will be processed when out of office and redirect configured
- Bug [15398](#): [I18N-JP] Content-Type is not set for mail which sent from Outlook
- Bug [15399](#): [I18N-JP] need to be able to specify character set and encoding for HTML bodyparts
- Bug [15411](#): [I18N-JP] When the character encoding is ISO-2022-JP, the text should be encoded as 7-bit ascii
- Bug [15623](#): TNEF gateway: Occasionally get 1169 error - msg put on ERROR queue
- Bug [15675](#): omscan fix mode should report/log what it's changing
- Bug [15745](#): Auto-action name filter broken after 11.02 change
- Bug [15761](#): sxaa: should allow CommonName of sender/group to be specified
- Bug [15781](#): smtp relay may crash under certain circumstances.
- Bug [15830](#): Web Rules Wizard: needs extending to have a 'group' filter.
- Bug [15848](#): ommaint bug with diskpace check
- Bug [15849](#): Character set handling insufficient for ISO-2022-JP
- Bug [15853](#): ldapmapper dies from SIGPIPE (exit code 141)
- Bug [15862](#): memory leak in omlicmon
- Bug [15865](#): Character set conversion sometimes leaves bad transfer encoding
- Bug [15866](#): Local.delivery: Msgs from SMINTFC get all content serialised
- Bug [15868](#): local.delivery: Delivery envelope in serialised file has incorrect, inflated size
- Bug [15947](#): BB permissions on subfolders don't seem to work correctly
- Bug [15957](#): personal folder and delegate access permissions with umlauts are corrupt after upgrade from 10.0.5 to 11.2
- Bug [15988](#): ommodu may lock system, waiting for read on ~/temp/licc

- Bug [16032](#): OM 4646: Too many Files open. Cannot open any more after upgrade from 10 to 11
- Bug [16107](#): non-ascii foldername rendered as ? chars in IMAP Other Users namespace
- Bug [16244](#): ISO-8859-1 to UTF-8 upgrade doesn't work for delegate TF (000002k file)
- Bug [16310](#): IMAP Server sometimes fails to connect to event server

## **Scalix Messaging Services**

- Bug [15984](#): Cannot configure LDAP access to use authentication

## **Scalix Web Access**

- Bug [13791](#): Server failed to send back a valid XML response
- Bug [14211](#): Date Navigator headers cannot be localized
- Bug [14263](#): [I18N-JP] Spellchecker needs to handle additional and unsupported languages more gracefully
- Bug [14684](#): [I18N] Japanese characters in the Calendar are garbled
- Bug [14688](#): ASCII-only mail is sent as UTF-8 when submitted through Firefox
- Bug [14805](#): First message in SWA is tagged as read when SWA is opened
- Bug [15338](#): [I18N-JP] Can't change date in Appointment info window
- Bug [15606](#): SWA load time too long in WAN environments
- Bug [15715](#): SWA posts SOAP#27 Connection Terminated Error
- Bug [15777](#): First-time SWA load after upgrade does not finish loading with large mailbox
- Bug [15823](#): Character set handling insufficient for ISO-2022-JP
- Bug [15935](#): new mail not shown in SWA
- Bug [15938](#): Incorrect URL is loaded when clicking web page link in contacts info
- Bug [15983](#): SWA Doesn't handle downlevel IMAP server well

## **Scalix Connect for Outlook**

- Bug [07996](#): Cannot modify messages in Inbox or delete attachments, inconsistent with Exchange
- Bug [08821](#): GetSync can request changes for a folder not being synced
- Bug [11882](#): Messages moved to public folders re-appear in Inbox
- Bug [13092](#): Unable to open synclog by choosing 'Show SyncLog' menu item
- Bug [15591](#): Attachments in incoming mails saved to disk are RO
- Bug [15627](#): Attachment opening not expected behavior - read only
- Bug [15730](#): View of public folder will not be refreshed after moving message from inbox
- Bug [15911](#): Special folder names not localised - Connector detects language from latest Outlook
- Bug [16322](#): GroupBy feature set, causes repeating columns

## ***Fixed in Scalix 11.2***

## **Scalix Admin Tools**

- Bug [12802](#): Error occurs on changing a mailnode on "Create User Wizard" page
- Bug [13665](#): "Install License" button disappears after navigating between tabs
- Bug [14857](#): On Xandros, cannot get 3rd party license information

- Bug [15043](#): SAC does not show 'scalix-text-extractors' as installed component \*
- Bug [15617](#): SAC ignores the last domain when more than 1 domain exists in a license
- Bug [15664](#): When creating users and resources in SAC, 'Notes' cannot gain focus from the mouse
- Bug [15704](#): Some strings around licensing are misleading

## Scalix Server

- Bug [01162](#): omscan may sometimes remove items which are not real orphans
- Bug [11520](#): omstat -q is extremely slow with large queues
- Bug [13316](#): sxmbboxexp does not produce list if folder selection is used
- Bug [14104](#): omsolve text does not make any sense for 10272 error
- Bug [14509](#): man page for omdapsync shows agreement type 13 as deprecated
- Bug [14745](#): Web-based rules wizard does not handle umlauts and special characters correctly
- Bug [14907](#): Default omvscan.map script has syntax error
- Bug [15143](#): Need to upgrade out-of-office auto replies automatically during upgrade from Scalix 10
- Bug [15261](#): omcheck needs to chown/chgrp before chmod
- Bug [15401](#): ommodu segfaults from SAC, omdelu also from cmdline
- Bug [15541](#): diagnostic calls to er\_add\_backtrace should not be logged as SERIOUS ERRORS
- Bug [15553](#): [OM 0] error in log from index.browser
- Bug [15559](#): omdapsync not processing large entry correctly - produces delete.curr
- Bug [15560](#): xport.in: orphans created when input is truncated
- Bug [15561](#): Performance of deleting messages from ROUTER queue is poor if queue is large
- Bug [15608](#): Manpage of omaddu command contains incorrect example command
- Bug [15609](#): local delivery: auto-filed messages are not primed for MIME usage (mslData not generated)
- Bug [15614](#): SMTP relay truncates SMINTFC message causing OM 1001 errors and more
- Bug [15632](#): IMAP LIST "" "Other Users/%" does not function correctly
- Bug [15650](#): sxmbboximp should not restore folder permissions when individual message is restored
- Bug [15653](#): IMAP migration: Some calendar items not migrated
- Bug [15688](#): ATTENDEE and ORGANIZER sometimes missing from IMAP-appended messages
- Bug [15697](#): UAL: MAIL\_ACK command should check for routable recipient
- Bug [15702](#): sxaa to handle UTF-8 correctly
- Bug [15714](#): IMAP APPEND fails with certain combinations of messages and directory entries
- Bug [15716](#): MYRIGHTS failure from IMAP, caused by [OM 3544] more Records than expected read during operation
- Bug [15746](#): IMAP processes hang forever

## Scalix Messaging Services

- Bug [13142](#): I18N characters appear as garbled and Content Type has nonsense value "base64"
- Bug [15320](#): a message with non-MIME-encoded Subject header containing ESC characters throws exception

- Bug [15569](#): output=ical returns VCALENDAR containing extra data from previous requests

## **Scalix Web Access**

- Bug [15393](#): User sees service termination in browser after some time

## **Scalix Connect for Outlook**

- Bug [12884](#): [ActiveSync] Duplicate contacts gets added on the device
- Bug [12936](#): Message deletion loses cursor position in GroupBy view
- Bug [13072](#): [ActiveSync] Duplicate task gets added to the device
- Bug [13466](#): [ActiveSync] Deleting a mail from Inbox of device prevents it from syncing with Outlook
- Bug [14541](#): [ActiveSync] fails to sync from "cold" and requires multiple password prompts
- Bug [14752](#): Scalix does not show up as additional server type with Outlook 2007 (Note: Outlook 2007 is **not** supported with Scalix 11.2; this is work in progress)
- Bug [14804](#): Error message in Outlook Connector refers to "doc XYZ"
- Bug [15019](#): Read receipts via TNEF route (from Exchange) are not deletable
- Bug [15132](#): SmartCache encounters fatal error
- Bug [15154](#): sxservice.exe causes 100% CPU load
- Bug [15418](#): [ActiveSync] Attention required status for notes appears even though there are no notes to be synchronized
- Bug [15419](#): Cache recreation does not take place if we rename/delete the user-defined cache folder
- Bug [15472](#): sxlogger.exe randomly crashes on exit from Outlook
- Bug [15557](#): Outlook cannot open more than one delegated calendar to manage/edit
- Bug [15580](#): Special chars and german umlauts within G, S, CN, FN will cause an empty search result within advanced address book search
- Bug [15620](#): Check for names returns malformed result
- Bug [15705](#): Long URL corrupts plain text message with OL9
- Bug [15575](#): Installer: Allows to install upgrade even though LVID of license key doesn't allow use
- Bug [15767](#): Installer: Message for invalid LVID is confusing

\* 'scalix-text-extractors' are only available for Scalix Small Business Edition (SBE) and Scalix Enterprise Edition (EE)

## ***Fixed in Scalix 11.1.0***

### **Scalix Server**

- Bug [15242](#): Search: Reduce Indexing I/O
- Bug [14836](#): Corrupted MIME cache should be self-recovering
- Bug [14984](#): sxmbximp doesn't restore folder's permissions to a working state
- Bug [15106](#): IMAP spins if append a message containing a NULL char in a HEADER
- Bug [15137](#): omslapd crashes, resulting in further problems
- Bug [15196](#): LDAP authentication causes USERLIST lockout and process abort
- Bug [15210](#): Meeting invite from Windows Mobile Phone not converted
- Bug [15218](#): MIME browser caching unused

- Bug [15245](#): Local delivery stalls when delivering to large mailboxes
- Bug [15246](#): Multiple copies of deleted items appear in Recovery Folder
- Bug [15256](#): IMAP server does not clean up its search transaction files
- Bug [15269](#): index.browse process should be executed at low priority
- Bug [15272](#): Show queue message id on the process command line
- Bug [15290](#): omldapsync convert user code resetting GLOBAL-UNIQUE-ID to Scalix-generated value
- Bug [15359](#): Indexing system does not keep up with changes
- Bug [15386](#): SMTP relay partially aborts with 'Directory is unavailable at this time. Please retry later.' error

## **Scalix Messaging Services**

- Bug [14918](#): Exception getting mail folder

## **Scalix Web Access**

- Bug [14282](#): Exception thrown while logging into Mailbox
- Bug [14884](#): JavaScript error on opening a meeting request after resending it
- Bug [14949](#): SWA does not show new messages in header view (seen Unread count)
- Bug [15015](#): Webapps should have some activity logging for diagnostic purposes
- Bug [15115](#): With large mailbox, first-time SWA load never completes
- Bug [15156](#): SWA loses connection just sitting there and displays error message
- Bug [15209](#): Can not open attachments after 30 minutes
- Bug [15222](#): Doesn't always handle connection loss gracefully
- Bug [15274](#): End user functionality to clean address completion/nickname cache
- Bug [15345](#): SWA should use a platform server specific to the user
- Bug [15427](#): SWA overruns IMAP server connection rate limit
- Bug [15457](#): Attachment mails are not getting searched through 'All Mail folders' option

## **Scalix Connect for Outlook**

- Bug [12051](#): Inbox property conflict on creating cache for new mailbox
- Bug [12716](#): Copy of mail is created for every login with same user via rule
- Bug [12770](#): Text inside the Reply box of Out of Office loses it's format
- Bug [13378](#): Forwarded messages with attachments create corrupted winmail.dat file
- Bug [13518](#): Need button or desktop icon/tool to recreate the cache without recreating the profile
- Bug [13965](#): setup.exe does not extract sxpro.exe
- Bug [14379](#): OL-Connector in SmartCache mode should inform user about cache initialization
- Bug [15307](#): When cache database is missing, SmartCache should re-initialize automatically

## **Scalix Installation**

- Bug [14161](#): scalix-postgres set to run in runlevel 2
- Bug [14934](#): Upgrade Tomcat to the latest 5.5.x version
- Bug [14935](#): Java 1.5.0 version upgrade
- Bug [15047](#): common-helper.sh script fails if hostnames are similar
- Bug [15165](#): Tomcat connector config files are overwritten on upgrade

- Bug [15303](#): Fix database charset and recreate postgres database on upgrade
- Bug [15319](#): Typo in Debian tomcat postinst script
- Bug [15413](#): Fails to setup postgres database password correctly on RHEL 5
- Bug [15416](#): GUI installer does not provide proper screen output on RHEL 5
- Bug [15429](#): scalix-tomcat start script has a syntax error on SuSE

## ***Fixed in Scalix 11.0.4***

### **Scalix Server**

- Bug [08746](#): Local delivery hangs when attempting a lock on a user folder
- Bug [10808](#): IOP with Notes - recurring meeting, Notes originated, fails to process in SWA
- Bug [11175](#): GLOBAL-UNIQUE-ID for a user needs to be consistent across USERLIST and SYSTEM directory
- Bug [12995](#): Sync: Search folder visibility in the sync environment causes problems
- Bug [14865](#): Strange IMAP server behavior when using delegate access with recovery folders turned on \*\*
- Bug [13235](#): IMAP error logged when no text-preview present
- Bug [14451](#): Inefficient DRef resolution by mime.browse/index.browse can lead to performance problems (was: Outlook goes into not-responding state during Phase I cache init)
- Bug [14712](#): ldapmapper can't send to PDLs with ACI Default set to None
- Bug [14781](#): error produced by omldapsync, using openldap, global unique ID is generated by scalix
- Bug [14787](#): OFS\_ENABLED option should be removed
- Bug [15013](#): Poor quality error message if general.cfg contains a syntax error
- Bug [15073](#): unix.out hangs when processing a msg (RTF->HTML r2netcmd.bin loop)
- Bug [15109](#): Locking problems can occur if compaction is attempted on container open
- Bug [15199](#): M00005 full folder sync failed - because imap.fetchMessages throws javax.mail.MessageRemovedException
- Bug [15226](#): PT\_UNICODE smtp\_address being set by MAPI SP causing mime.browse/index.browse problems

### **Scalix Messaging Services**

- Bug [14876](#): error downloading attachment
- Bug [15199](#): M00005 full folder sync failed - because imap.fetchMessages throws javax.mail.MessageRemovedException

### **Scalix Search and Indexing Services**

- Bug [14325](#): SWA search doesn't work with Locale set to german
- Bug [14425](#): Indexing failure is handled gracelessly
- Bug [14897](#): Tomcat at 100% CPU and heavy disk usage
- Bug [14994](#): Indexer stops running
- Bug [15002](#): tomcat accumulates many open fds to deleted index files
- Bug [15036](#): Remove the no-longer used converters
- Bug [15121](#): Meeting-invite with many recipients causes protracted, heavy server load if rich attachment present (eg, word, pdf, etc)
- Bug [15129](#): Performance improvements for attachment extractors \*

## Scalix Web Access

- Bug [14746](#): Server-Side Logging needs improvement
- Bug [14906](#): Two date formats in English Locale broken
- Bug [14875](#): Null Pointer Exception in MailFolderTree.getInstance:82
- Bug [15059](#): Large # of recurring calendar entries causes browser spin
- Bug [15072](#): Multiple instances of recurrence meeting are created in delegate's mailbox
- Bug [15087](#): Client diagnostic logging needs to go to the server
- Bug [15103](#): Unable to save/display Contacts with some UTF-8 characters
- Bug [15128](#): Runtime error while modifying an existing private DL.
- Bug [15171](#): Client generic error messages need to be made non-generic
- Bug [15206](#): Sometimes SWA does not keep any options setting across login/logout

## Scalix Connect for Outlook

- Bug [12880](#): Outlook crashes on Exit
- Bug [14411](#): Better Conformance with the MAPI Specification
- Bug [14901](#): SmartCache intermittently cannot display message content
- Bug [15098](#): Certain Mail, when trying to forward, makes Outlook lose it's network connection
- Bug [15099](#): Cannot send update to certain calendar item
- Bug [15112](#): Cache not created correctly, can't display folder messages
- Bug [15153](#): MAPISVC.INF not updating
- Bug [15170](#): Message body ends up as untitled attachment and can't be read in Outlook
- Bug [15176](#): Cross-server delegation can overwrite correct local mapi.cfg
- Bug [15179](#): OL Crashes on Choosing Calendar folder after creating a new profile

## Scalix Installation

- Bug [08528](#): Installer fails with no eth interface present
- Bug [11171](#): Network check fails with no default gateway set
- Bug [12827](#): Installer should allow for Lastname<SP>Firstname Display name format
- Bug [13143](#): Limit on number of open files reached for Tomcat process
- Bug [14309](#): Short hostname used in server.xml Tomcat config file
- Bug [14888](#): Tomcat and application thread and connection pools can become starved
- Bug [15051](#): Improve handling of instance name and hostname in Installer
- Bug [15187](#): On an installed system, sxtomcat-get-inst-name provides wrong result
- Bug [15228](#): Configure larger thread pool for Tomcat by default

\* Indexing of binary attachment types (Word, PowerPoint, Excel, PDF) is only available for Scalix Small Business Edition (SBE) and Scalix Enterprise Edition (EE)

\*\* The Recovery Folder feature is only available for premium users in Scalix Small Business Edition (SBE) and Scalix Enterprise Edition (EE)

## ***Fixed in Scalix 11.0.3***

### Scalix Admin Tools

- Bug [13677](#): Subject with I18N characters displayed as ? in SAC message queue list

- Bug [13891](#): Number of messages exceeds the maximum count set on local delivery page in SAC
- Bug [14753](#): Active Directory GUID not quoted correctly when Internet users gets converted to Scalix Mailbox
- Bug [14847](#): When using external directory for user management, "Prepare SmartCache" in SAC is greyed out

## Scalix Server

- Bug [13098](#): Indexer not sending correct index requests
- Bug [13288](#): Internet Mail Gateway generates OM.UX 1169 errors for messages sent to Exchange users using the TNEF gateway
- Bug [14533](#): /etc/init.d/ldapmapper restart fails when ldapmapper is not running
- Bug [14545](#): Permission denied message for owner of public folder
- Bug [14548](#): index.browse logs errors
- Bug [14649](#): unix.in aborts when looking up names leaves the directory locked
- Bug [14709](#): A Scalix process is corrupting shared memory
- Bug [14711](#): imap-cache subdirectory becomes corrupt
- Bug [14779](#): Add sxfind utility to produce map between directrefs and filenames
- Bug [14785](#): IMAP should report filename of action file in message reporting that file cannot be opened
- Bug [14809](#): omstat queue needs to output rich subject and name for Admin Tools use
- Bug [14810](#): tf.browse does not generate correctly nested folder name, preventing sxaa from creating rules that file into nested folders
- Bug [14821](#): Corrupt message in Recovery Folder stops it from being automatically tidied \*\*
- Bug [14834](#): Indexer debug log is missing timestamps
- Bug [14870](#): unix.out is rejecting valid messages on TNEF route with 1168 error
- Bug [14872](#): files pile up in ~/temp directory
- Bug [14885](#): Bad message stalls index.browse/mime.browse, causing 100% CPU load
- Bug [14902](#): External messages using ISO-8859-2 characters appear blank in Outlook 9 and Outlook 10
- Bug [14913](#): RPM scriptlet on SLES produces "command not found" error
- Bug [14939](#): Indexer gets stuck on broken indexwork records
- Bug [14946](#): sxsearch doesn't display results for conventional search transaction files
- Bug [14953](#): SIS return codes are interpreted incorrectly by the Indexer
- Bug [14954](#): Add text converters to indexer so that SIS can stop using it's internal converters for attachment indexing \*\*\*
- Bug [14968](#): Make Indexer re-read it's config file while running
- Bug [14989](#): ual.remote process looping as a result of SmartCache activity
- Bug [14999](#): Message with attachment sent using pre-Scalix-11 MAPI connector rejected by TNEF gateway
- Bug [15037](#): non-text items can accidentally be sent to SIS when added to the mailbox using IMAP APPEND
- Bug [15039](#): PDF attachments not correctly recognized and marked as such, creating problems for the indexer \*\*\*

## Scalix Messaging Services

- Bug [15035](#): Client can break API for message access

## Scalix Web Access

- Bug [12370](#): http URL is converted to mailto when it contains an email address
- Bug [12756](#): Japanese or chinese text appear as square boxes in warning message
- Bug [12787](#): On SWA header bar user name with I18N characters appears as square boxes
- Bug [13196](#): Online help files for en\_GB locale missing
- Bug [13492](#): Unable to book a resource if the resource name contains I18N characters
- Bug [14037](#): When sorting by date, SWA sorts messages by "Received" timestamp, however it displays "Sent" time
- Bug [14416](#): Message sort order is wrong
- Bug [14768](#): Secondary sort order should always be by "Received" date
- Bug [14777](#): SWA needs to support internet headers which make use of RFC2231 features
- Bug [14817](#): First-of-month date in monthly view not localizable
- Bug [14873](#): Tomcat JVM process crashes frequently due to heavy memory usage of SWA
- Bug [14898](#): SWA double-spaces messages
- Bug [14958](#): Better diagnostic logging for debugging purposes
- Bug [15070](#): Replies in IE get double-spaced

### **Scalix Connect for Outlook**

- Bug [12943](#): Two email addresses are shown in "From" field after the address fix up using Scalix Migration Tool (SMT) is successful
- Bug [13707](#): Outlook can crash when additional mailbox is added
- Bug [14054](#): Unable to search Related Messages in Outlook 2003
- Bug [14322](#): Support for Blackberry Desktop Manager 4.2 needed
- Bug [14406](#): Phase I sync never finishes and loops infinitely
- Bug [14630](#): Messages not sent and they are sitting in Outbox for hours
- Bug [14762](#): Outlook crashes after selecting SMTP address from Contacts for Out-of-Office forwarding
- Bug [14816](#): Attachment opened from inbox message is opened read/write and fails back to save correctly
- Bug [14842](#): Outlook crashes on choosing permissions tab of subfolder properties dialog
- Bug [14883](#): Cache Manager stops syncing too soon when lifetime of 2 MAPI clients overlap
- Bug [14923](#): Unable to open Recurring Meeting Request sent by Microsoft DST 2007 timezone upgrade tool
- Bug [14929](#): Message fails to save on second save when set to Plain Text in ACM
- Bug [15032](#): Delayed Outlook crash with unexpanded delegate account
- Bug [15053](#): Outlook crashes on choosing Advanced Find

### **Scalix Installation**

- Bug [02924](#): Installer: Installer should set Rules Wizard URL differently to promote the use of the Rules Wizard over SSL where applicable
- Bug [13205](#): Installer: Installer should be shipped in uncompiled form for better Python version compatibility
- Bug [13531](#): Installer: Tomcat can crash when started from an environment with a valid DISPLAY variable
- Bug [15006](#): Installer: Apache SSL configuration is not correctly detected for Tomcat connector

- Bug [15011](#): Installer: Post-upgrade function fails to execute on Upgrade from Figaro

### **Scalix Migration Tool**

- Bug [13249](#): SMT: Scalix Migration Tool does not migration additional special folders \*
- Bug [14869](#): SMT: Bogus "Sent on Behalf of" on some migrated items \*

\* The Scalix Migration Tool (SMT) is a separate product for migrating user data from Exchange 5.5, 2000, 2003 and 2007 to Scalix. Please contact Scalix Sales at [info@scalix.com](mailto:info@scalix.com) for further information.

\*\* The Recovery Folder feature is only available for premium users in Scalix Small Business Edition (SBE) and Scalix Enterprise Edition (EE)

\*\*\* Indexing of binary attachment types (Word, PowerPoint, Excel, PDF) is only available for Scalix Small Business Edition (SBE) and Scalix Enterprise Edition (EE)

### ***Fixed in Scalix 11.0.2.1***

#### **Scalix Server**

- Bug [14870](#): unix.out: Rejecting valid msgs on the TNEF route with 1168 ERROR
- Bug [14874](#): Server-generated display name in To:, From:, CC: Headers is not quoted correctly

### ***Fixed in Scalix 11.0.2***

#### **Scalix Admin Tools**

- Bug [12365](#): Admin Tools: JavaScript error occur while deleting a newly added mail address rule
- Bug [13807](#): Admin Tools: Plugin Parameter should eliminate the word "Specify" in front of explanation text
- Bug [14105](#): Admin Tools: Recovery folder button for external synced mailboxes not available

#### **Scalix Server**

- Bug [11099](#): IMAP to set the UAL\_DELITM delete is part of a move flag
- Bug [12900](#): Server does not support RFC2231 encoded attachment filenames
- Bug [13198](#): SWA does not open attachments with filenames with I18N characters in calendar entries
- Bug [13744](#): Charset to To, CC can not be changed from UTF-8 to other (ISO-2022-JP, etc.)
- Bug [13950](#): Mail sent via SmartCache found in wrong Folder
- Bug [14268](#): Incoming internet gateway imports rfc822 address comments containing invalid chars directly into the creator name
- Bug [14548](#): index.browse logs errors
- Bug [14597](#): sxmboximp does not recreate a recently deleted folder
- Bug [14644](#): ISO-2022-JP support should be enhanced (some characters are garbled)
- Bug [14665](#): Attachment with chinese filename does not convert properly

- Bug [14698](#): Long I18N attachment names replaced with underscores and message dropped to xport.err
- Bug [14734](#): Some problems during container upgrade should be fixed during upgrade

## **Scalix Web Access**

- Bug [11042](#): Web Access: Custom login page instruction do not work correctly
- Bug [12548](#): Web Access: Opening an appointment by hitting the Enter button results in JavaScript error
- Bug [12831](#): Web Access: Additional Date formats needed for Japanese Markets
- Bug [12992](#): Web Access: Unknown tag gets attached with the message body during ActiveSync operation
- Bug [13216](#): Web Access: Garbled Japanese text in popup dialog before logging in to SWA
- Bug [13618](#): Web Access: Sorting is lost on refreshing on search result window
- Bug [13671](#): Web Access: Attachment file name with i18n char garbled while trying to save attachment
- Bug [14128](#): Web Access: Updated meeting is received as a new meeting request
- Bug [14257](#): Web Access: Long attachment filenames truncated due to RFC2231 mishandling
- Bug [14263](#): Web Access: Spellchecker needs to handle unsupported languages more gracefully
- Bug [14361](#): Web Access: Firefox autoComplete bug triggers Exception
- Bug [14461](#): Web Access: No action on clicking 'Reply' after opening an attachment
- Bug [14472](#): Web Access: Unable to update a zero length appointment created through Outlook
- Bug [14511](#): Web Access: Dragging Folder is missing target in the scrolled Folder Tree section
- Bug [14530](#): Web Access: JavaScript error on clicking the next arrow button in the message window
- Bug [14584](#): Web Access: Server side Java logging needs improvement
- Bug [14604](#): Web Access: Editable field appeared far below the folder if folder tree was scrolled.
- Bug [14620](#): Web Access: Updated responses for all invitees not reflected in the originator's calendar
- Bug [14647](#): Web Access: Script error on dragging a message from Public Folder to Inbox
- Bug [14648](#): Web Access: JS error on clicking Add button in spell checker window
- Bug [14667](#): Web Access: SWA should have built-in defaults for missing swa.properties values
- Bug [13671](#): Web Access: Attachment filename with I18N characters is garbled while trying to save attachment

## **Scalix Mobile Web Client**

- Bug [13254](#): Mobile: Wording of German message in Mobile Web Client

## **Scalix Connect for Outlook**

- Bug [12877](#): Subject size in SmartCache too small to allow for I18N
- Bug [13950](#): Mail sent using SmartCache reported against wrong folder in search
- Bug [14607](#): Outlook stops receiving new mail

- Bug [14419](#): Mail sent with attachment shows two attachments
- Bug [14421](#): Crash when trying to modify imported contacts
- Bug [14449](#): Active Sync crashes while synchronizing Notes
- Bug [14550](#): Dismissing reminders in Outlook generates runtime error
- Bug [14608](#): Outlook Connector in SmartCache mode does not recognize server-size password change
- Bug [14660](#): Cyrillic characters do not display in plain text messages using outlook 2000
- Bug [14683](#): Portuguese characters appear incorrectly after upgrade to Scalix Connect 11.0.1.22
- Bug [14698](#): Long chinese filename characters replaced with "\_" and message dropped to xport.err
- Bug [14750](#): International characters in Subject line are truncated in Outlook
- Bug [14751](#): Auto-completion of addresses via external LDAP fails

### **Scalix Installation**

- Bug [12421](#): Installer: Should be possible to have Tomcat create separate logfiles for each day
- Bug [14020](#): Installer: Installation falls over with poor error when "which" is not installed
- Bug [14174](#): Installer: service scalix-tomcat status and stop commands do not work correctly with process ID shorter than 5 characters

### ***Fixed in Scalix 11.0.1***

### **Scalix Web Access**

- Bug [13980](#): Web Access: Appointments in which start and end times are the same do not show up in SWA
- Bug [14321](#): Web Access: Appointments in which start and end times are the same do not show up in SWA
- Bug [14249](#): Web Access: Drag and drop sometimes misses the intended folder
- Bug [14109](#): Web Access: Drag and drop sometimes misses the intended folder
- Bug [14393](#): Web Access: Folder ghost does not disappear after dragging folder to an invalid location
- Bug [14396](#): Web Access: Calendar is not selectable - browser crashes
- Bug [14488](#): Web Access: New Messages not received until logout/login
- Bug [14357](#): Web Access: New Messages not received until logout/login

### **Scalix Connect for Outlook**

- Bug [12877](#): Subject field is too short for internationalized character sets
- Bug [12601](#): Subject field is too short for internationalized character sets
- Bug [12558](#): Subject field is too short for internationalized character sets
- Bug [14404](#): Subject field is too short for internationalized character sets
- Bug [13504](#): Plain text UTF8 messages display in Outlook 9 as ISO-8859-1
- Bug [14323](#): Plain text UTF8 messages display in Outlook 9 as ISO-8859-1
- Bug [13775](#): Message with Read Receipt that is filtered to a PST returns a receipt that says the message was deleted without being read

- Bug [13962](#): In Outlook with SmartCache enabled, the HTML character set of a multi-content message can be incorrect, causing improper HTML display
- Bug [14143](#): In Outlook with SmartCache enabled, recovered emails sometimes are not visible if subsequently moved to another folder
- Bug [14157](#): Lack of profile migration switch - InstallMigrateSxProfile=1. Use InstallMigrateDefaultProfile instead
- Bug [14235](#): Some Unicode messages hang Outlook
- Bug [14191](#): Some Unicode messages hang Outlook
- Bug [14239](#): Some Unicode messages hang Outlook
- Bug [14279](#): Outlook crashes if the sxadmin user repeatedly uses the right click method to see a public folder's properties
- Bug [14331](#): Text preview generation for certain message causes cache to be unusable
- Bug [14347](#): Some messages not added to SmartCache's cache
- Bug [14353](#): The To: header does not display in the list view for a cc: recipient when the To: recipient is of SMTP type
- Bug [14364](#): Outlook crashes when moving large numbers of objects from server folder to .pst file
- Bug [14363](#): Outlook crashes when moving large numbers of objects from server folder to .pst file
- Bug [14367](#): "Send as" functionality in office 2003 does not work in cached mode
- Bug [14368](#): HTML message with embedded images sent from Outlook 2003 does not render on Outlook XP
- Bug [14482](#): Attachment name garbled using Outlook Connector 10
- Bug [14483](#): Unable to respond to a meeting request

## Scalix Installation

- Bug [14294](#): Installer: Logging fails to adequately explain that installation should fail if mount points exist under the data directory (for example, if the mount point is /var/opt/scalix/temp)
- Bug [14057](#): Installer: No warning issued when expired license is used to upgrade
- Bug [14076](#): Installer: No warning issued when expired license is used to upgrade
- Bug [14470](#): Installer: Dependency check permits PostgreSQL version 7.3.9
- Bug [14465](#): Debian release directory and tar file missing third\_party and documentation subtrees
- Bug [14491](#): Debian Web applications don't put files in right location and some Web applications have errors in the Debian Prerm script
- Bug [14495](#): Debian Web applications don't put files in right location and some Web applications have errors in the Debian Prerm script
- Bug [14500](#): On Debian, the Tomcat instance template contains relative links instead of absolute links, making Tomcat unworkable
- Bug [14504](#): On Debian, the sxpsql-whitelist places Scalix lines after the catchall line in pg\_hba.conf, so it is meaningless
- Bug [14505](#): Debian package must include jk connector deb for Debian Sarge
- Bug [14524](#): Tomcat and Postgres packages do not install correctly if server is installed, but not initialized

## Scalix Search and Indexing Services

- Bug [14155](#): Search: Search and Index Service fails to locate messages with exact matches due to a lock timeout problem
- Bug [14485](#): Search: Invalid UID sometimes reported for newly created folder

## Scalix Server

- Bug [14131](#): Deleting the Scalix Recovered Items folder (using omcontain) can result in a segmentation violation when resolving references to items within that folder
- Bug [14172](#): Mobile Web Client and SIS (Scalix Platform) crash if Inbox contains email with "invalid" MIME
- Bug [14262](#): Acknowledgment message to non-existent user contains inaccurate error wording
- Bug [14269](#): The unix.in process spins in user mode, consuming CPU and causing queue buildup
- Bug [14270](#): The ldapmapper process crashes
- Bug [14277](#): Users created in Active Directory cannot log in to platform or Mobile Web Client
- Bug [14343](#): High Availability-specific changes to init.d startup screen need to be applied to SuSE
- Bug [14352](#): Deleting a message in a POP session may cause a subsequent POP session for that same user to fail at the login (user/pass) stage
- Bug [14397](#): Deleting a message in a POP session may cause a subsequent POP session for that same user to fail at the login (user/pass) stage
- Bug [14377](#): The ldapmapper causes a routing loop on an Internet user if ul-authid is present
- Bug [14380](#): Some messages cause the outgoing internet gateway to crash
- Bug [14410](#): When sending messages from Equinox to Figaro, attachment filenames get crippled
- Bug [11265](#): Content in some messages appears as an attachment instead of as body text
- Bug [12960](#): Content in some messages appears as an attachment instead of as body text
- Bug [13689](#): The omscan server can crash when checking orphans
- Bug [13434](#): The omscan server can crash when checking orphans
- Bug [14513](#): The Scalix Platform only connects to a Scalix 11.0.0.x server

## ***Fixed in Scalix 11.0***

### Scalix Admin Tools

- Bug [07493](#): Can't modify some user attributes in Management Console
- Bug [10933](#): Need to be able to NOT sync directories in a multi-server setup
- Bug [11317](#): The Management Console does not permit use of the global mailbox limit
- Bug [11406](#): The dirsyc utility should not include entries with SOURCE-LID=0 in Reply\_Updates
- Bug [12343](#): The Management Console escapes authentication ID incorrectly
- Bug [13644](#): Updates to the Management Console's Settings > Administration screen are not saved if different mount points are used for / and /opt

### Scalix Web Access

- Bug [03807](#): SWA does not recognize "do not display in address book" flag
- Bug [05194](#): Portal integration capabilities needed
- Bug [06600](#): Message filtering based on sensitivity levels needed

- Bug [07642](#): SWA should not automatically load embedded content, especially images from external links
- Bug [08137](#): SWA displays MIME error for some messages instead of the message

### **Scalix Connect for Outlook**

- Bug [05148](#): Outlook does not allow groups in folder permission ACLs
- Bug [07635](#): Creation of non-SSO profile needed in SSO environment
- Bug [07646](#): The Out-of-Office assistant should be able to provide additional settings for forwarding
- Bug [08958](#): Address book entries with umlauts aren't found
- Bug [09186](#): Importing data from a PST does not import friendly name on FROM address
- Bug [11664](#): The automatic profile generation utility sxpro.exe needs the ability to specify ACM/SCM mode and cache location
- Bug [13147](#): Can re-send message on behalf of someone without any permissions

### **Scalix Server**

- Bug [02518](#): The omcheck utility does not report incorrect permissions
- Bug [05444](#): Need a "redirect" or "catch-all" user for misdirected messages
- Bug [05460](#): Russian characters do not display in the subject line
- Bug [05589](#): Very large Inbox causes local delivery to abort
- Bug [05937](#): Improved error handling of Internet address with too many characters
- Bug [06277](#): Need extension of rules conditions to filter out unwanted DSNs going across systems
- Bug [06462](#): Message Submission Agent (MSA feature added for SMTP relay
- Bug [06675](#): The omcpoutu command should be able to deal with individual folders
- Bug [07142](#): The commands omcpoutu and omcpinu should be able to deal with public folders
- Bug [08222](#): The add user feature takes an ID from the pool even if the add function fails
- Bug [10331](#): IMAP limits number of items in a folder to 32767
- Bug [11023](#): omldapsync tries to set account status on Internet user and fails
- Bug [11010](#): Principal's name should appear as sender in the SMTP conversation when mailed from delegate's account
- Bug [11062](#): Mail addressed to an alias is re-written to the primary alias, so the recipient can't filter based on recipient address.
- Bug [11118](#): omldapsync leaves trailing "=" when additional email address is removed in AD
- Bug [11328](#): Messages created through the IMAP append function lose their display name/friendly name in Outlook
- Bug [11388](#): Sync agreement deletes user when GAL entry on Exchange 5.5 is hidden
- Bug [11416](#): In plain text messages, attached .txt files lose their content
- Bug [11466](#): PDF files do not display in Outlook when sent using Outlook Express
- Bug [11526](#): omldapsync should have configurable LDAP search scope
- Bug [11665](#): omldapsync needs the concept of a primary Internet address in cases where a single directory object has multiple SMTP addresses
- Bug [11841](#): Incoming Unix gateway aborts on incorrectly formed iCal data
- Bug [12059](#): IMAP satellites do not use MAX\_SIGNON\_PER\_USER
- Bug [12536](#): Import of unusually large mailbox files >4GB may fail
- Bug [13143](#): Running more than one instance of omldapsync, can delete users

## Scalix Installation

- Bug [11060](#): NIC config files in ifcfg-eth-bus-pci format not correctly detected on SUSE

## Scalix Active Directory Extensions

- Bug [09404](#): Active Directory extensions should enable/disable fields based on access control entries

# Supported Environments

[Back to top](#)

Scalix 11.4.4 is supported on the following platforms:

- **Scalix Server:** Red Hat Enterprise Linux 4/5, SUSE Linux Enterprise Server 9<sup>1</sup>/10, CentOS 4/5, Fedora 9 and OpenSuSE 11.0. Supported architectures are i386 and x86\_64.

**Note:** Fedora 9 and OpenSuSE 11 are supported for evaluation purposes and Community Edition use only; these are generally less suitable for production environments than their "enterprise" counterparts due to their frequent updates and short release cycles

**Note:** An unsupported Community Edition package for Debian-based Linux distributions is also available.

<sup>1</sup>) Scalix 11.4 will be the last release to support SUSE Linux Enterprise Server 9. It is recommended that you upgrade your server to SUSE Linux Enterprise Server 10.

- **Scalix Connect for Outlook:** The following combinations of Windows and Outlook are supported<sup>1)</sup>:

| Windows version  | Outlook version                        |
|------------------|----------------------------------------|
| 2000 Pro SP4     | 2000 SP3, 2002 SP3 and 2003 SP3        |
| XP 32 Bit SP3    | 2000 SP3, 2002 SP3, 2003 SP3, 2007 SP1 |
| XP 64 Bit SP2    | 2003 SP3 and 2007 SP1                  |
| Vista 32 Bit SP1 | 2000 SP3, 2002 SP3, 2003 SP3, 2007 SP1 |
| Vista 64 Bit SP1 | 2003 SP3 and 2007 SP1                  |

- 

<sup>1</sup>) Other combinations of Service Packs may work also but are not part of our QA process.

- **Scalix Web Access** and **Scalix Management Console:** IE 6 SP2 and IE 7 on Windows; Firefox 2.x and 3 on Windows, Mac OS/X or Linux. Other browsers based on the IE and Gecko engines may work.

- **Scalix Connect for Evolution:** Evolution 2.6, 2.8, 2.12, and 2.22. Depending on the distribution you choose you may need to build this package from source, others include it in binary form.

## System Requirements

Please check the Scalix Installation guide for current minimum system requirements.

### Alert

Note that the choice of storage environments will have a major influence on performance of your Scalix system. Scalix as an application is largely I/O-bound, using variable, small-blocksize random read/write synchronous file I/O.

Also note that Scalix **does not support** putting a Scalix Message Store on a NFS- or SMB-based storage device such as a NAS Filer. **Performance issues and/or Message Store corruption can occur.** This is true for all Linux distributions using Linux 2.6.x kernels as the NFS client software in these kernels have known issues with file locking operations, which Scalix heavily relies on.

We suggest putting the Scalix message store on a Hardware RAID Array, using RAID 1+0 for best performance. The use of RAID 5 will result in substantially worse performance due to the nature of Scalix Disk I/O patterns (small, synchronous random writes) and is not recommended. In larger installations, we do recommend using iSCSI- or FibreChannel-based SAN storage. We also recommend the use of battery-backed write cache on the RAID controller where available.

## Packaging

[Back to top](#)

The Scalix 11.4.4 Release consists of a self-extracting shell archives for Linux and a separate ZIP file download for the Windows components.

The Components in the package and their respective version numbers are as follows:

| Component                                        | Package    | Build                |
|--------------------------------------------------|------------|----------------------|
| Scalix Installer                                 | Linux .bin | <b>11.4.4.2657</b>   |
| Scalix Server                                    | Linux .bin | <b>11.4.4.12886</b>  |
| Scalix Character Set Detectors                   | Linux .bin | <b>1.0.20071031</b>  |
| Scalix Libical                                   | Linux .bin | <b>0.27.20071008</b> |
| Scalix iconv Extras                              | Linux .bin | <b>1.2</b>           |
| Scalix Management Services (SAC RES)             | Linux .bin | <b>11.4.4.4904</b>   |
| Scalix Messaging Services ("Platform")           | Linux .bin | <b>11.4.4.2575</b>   |
| Scalix Web Access (SWA)                          | Linux .bin | <b>11.4.4.12082</b>  |
| Scalix Mobile Web Client (Mobile)                | Linux .bin | <b>11.4.4.900</b>    |
| Scalix Search and Indexing Services (SIS)        | Linux .bin | <b>11.4.4.1110</b>   |
| Scalix Text Extractors for Indexing and Search * | Linux .bin | <b>1.0</b>           |
| Scalix DB (Postgres)                             | Linux .bin | <b>11.4.4.2486</b>   |
| Scalix Tomcat Connector                          | Linux .bin | <b>11.4.4.949</b>    |

|                                              |              |                    |
|----------------------------------------------|--------------|--------------------|
| Scalix Tomcat                                | Linux .bin   | <b>5.5.27</b>      |
| Scalix Connect for Evolution                 | Linux .bin   | <b>11.4.4.123</b>  |
| Scalix Connect for Outlook**                 | Windows .zip | <b>11.4.4.8866</b> |
| Scalix Active Directory Extensions (ADE) *** | Windows .zip | <b>11.4.4.743</b>  |

\* Text extractors allow the indexing of binary Microsoft Office (Word, Excel and PowerPoint) and PDF documents. They are only available as part of Scalix Small Business Edition (SBE), Enterprise Edition (EE) or Hosting Edition (HE)

\*\* For Scalix Community Edition downloads, Scalix Connect for Outlook (MAPI) is a separate ZIP-file download.

\*\*\* The Scalix Active Directory Extensions are only available as part of Scalix Small Business Edition (SBE), Enterprise Edition (EE) or Hosting Edition (HE)

## Known Issues and Workarounds

[Back to top](#)

Installing the Scalix Mail Server requires Linux system administration skills and root access to the server. Coordination with your site networking team is also required to ensure that workstations are able to connect to the server (through TCP/IP sockets) and that the server itself is visible to the network, including any necessary DNS/MX configuration. If the network uses Firewalls and/or VPNs, then additional modifications to the network might be necessary to enable the required network connections to the appropriate ports on the server, as described in the *Scalix Installation Guide*.

[Back to top](#)

### Scalix Installer

| Issue                                                                                                                                                                                                | Workaround                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| If you installed SLES 9 on the Scalix server host, the python-gtk-2.0.0-215.1 package automatically installs. This version of the package forces the Scalix Installer to display the following error | Exit the Scalix installer and use YaST to upgrade the python-gtk package by the means provided by SLES 9. |

|                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>message:</p> <p>Error: Please upgrade python-gtk package to version 2.0.0-215.3 or newer, currently installed version 2.0.0-215.1 contains a bug that affects Scalix Installer.</p>                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                   |
| <p>After installation, the automatic launch of the Scalix Management Console can sometimes be accompanied by a series of error messages saying, "Shell-init: error retrieving current directory: getcwd: cannot access parent directories: No such file or directory." Ignore these messages. The browser launches anyway. (Bug <a href="#">4754</a>)</p> | <p>None.</p>                                                                                                                                                                                                                                                                                                      |
| <p>Reconfiguring the Messaging Services or the PostgreSQL Database Integration with the Installation Wizard upgrade process can, in some cases, cause users to be locked out when they later try to sign in to the Scalix Mobile Web Client. (Bug <a href="#">13947</a>)</p>                                                                              | <p>If the PostgreSQL database password changes, it must also be changed in the file, platform.properties, which is located at &lt;instance&gt;/platform/platform.properties. This requires a restart of Tomcat. If the database is on a separate server from the platform, this change must be done manually.</p> |
| <p>When replacing an existing Scalix SBE or EE license during</p>                                                                                                                                                                                                                                                                                         | <p>Check the status of the license monitor using the "omstat -a" command. If not running or aborted, restart the server using "omshut" and "omrc".</p>                                                                                                                                                            |

|                                                                                                                                                                                                                                             |                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| upgrade installation, sometimes the Scalix Server is not restarted properly and the license manager will die unexpectedly (Bug <a href="#">15770</a> )                                                                                      |                                                                                                                |
| ommakeom quits if hostname contains uppercase characters. (Bug <a href="#">15014</a> )                                                                                                                                                      | Do not use uppercase characters when configuring the hostname.                                                 |
| sxhostcfg script silently assumes sxadmin as admin username and fails if that's not the case (Bug <a href="#">15876</a> )                                                                                                                   | Create an admin user named sxadmin.                                                                            |
| When performing a custom install the Forward button may not respond after selecting some components to be installed (Bug <a href="#">16083</a> ). Tomcat doesn't deploy webapps when hostname is in mixed-case (Bug <a href="#">19217</a> ) | When selecting "Scalix Server" make sure to also select "Scalix Libical" and "Scalix Character Set Detection". |
| During scalix installation web application (webmail, sac, ...) deployment fails if domain part of hostname is in UPPER case (Bug <a href="#">17710</a> )                                                                                    | Change hostname to contain only lower characters prior to installation.                                        |
| Custom Install path to rpms in graphical installer does not support spaces in directory name (Bug <a href="#">18827</a> )                                                                                                                   | The issue will be fixed in Scalix 11.5.                                                                        |

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cannot uninstall individual components (Bug <a href="#">19096</a> ) | <p>Components can be uninstalled manually, following a procedure similar to the following. This is for the Scalix Management Console on a single-instance install.</p> <pre> /etc/init.d/scalix-tomcat stop . /etc/opt/scalix/instance.cfg /opt/scalix-tomcat/bin/sxtomcat-webapps --del \$OMNAME caa sac rpm --erase scalix-sac export SHORT=`echo \$OMNAME   sed 's/\&lt;([a-z])\([a-z]*\([a-z])\)\&gt;/\1\2/'` rm -fR /var/opt/scalix/\$SHORT/tomcat/webapps/sac rm -fR /var/opt/scalix/\$SHORT/tomcat/webapps/caa rm -fR /var/opt/scalix/\$SHORT/tomcat/work/Catalina/\$OMNAME/sac rm -fR /var/opt/scalix/\$SHORT/tomcat/work/Catalina/\$OMNAME/caa /etc/init.d/scalix-tomcat start </pre> |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

[Back](#) to top

## Scalix Mail Server

| Issue                                                                                                                                                                                                                                                                                                                                                                                                            | Workaround                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| After upgrading Scalix Mail Server from Scalix 10 to Scalix 11, users with a large number of messages in their email client folders might notice reduced client/server performance when they access the message store. This is caused by upgrades to the message store container file structure that occur when they are next accessed by a user (through the client UAL process or the local delivery service). | <p>To control when the upgrading of the message store happens so that it doesn't slow down mailbox access, shut down the Scalix Mail Server after upgrade and with only the daemons running (omrc -n), run the commands omtidyu and omscan without the fixmode (-f) option. For example, enter: omtidyallu -M and omscan -Aa.</p> <p>Note: The first time it runs after an upgrade, omscan can take twice as long as is typical because it is upgrading message store containers. Scalix recommends that you perform this task in off hours (nights or weekends) to minimize impact on the Scalix Mail Server.</p> |
| If you've installed your Scalix system on host(s) running SUSE Linux Enterprise 9 (SLES9), your Outlook users will not be able to take advantage of single sign on because of a flawed Kerberos interaction between SUSE and Microsoft inherent in the Heimdal Kerberos implementation                                                                                                                           | Upgrade to SUSE Linux Enterprise Server 10 (SLES10) which uses a MIT Kerberos implementation. Note that Scalix 11.4 will be the last release of Scalix to support SLES9. Therefore, this OS upgrade is generally recommended.                                                                                                                                                                                                                                                                                                                                                                                      |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| provided with SLES9.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <p>[iCal Information] --</p> <ul style="list-style-type: none"> <li>• Exchange 5.5 does not support iCal, therefore SWA-generated meeting requests and meeting requests sent from Outlook/Exchange using the "Forward as iCalendar" do not work correctly.</li> <li>• A canceled meeting scheduled via iCal shows as "Tentative" rather than "Free".</li> <li>• Outlook 2002 (Outlook 10) with an IMAP profile does not recognize iCal messages. The only way Outlook XP will render iCal is if the content type is text/calendar and is the only body type. Most iCal messages are formatted as multipart/alternative. The same messages viewed with OL11/IMAP are correctly processed. Therefore you cannot use Outlook 10 in IMAP mode to connect to a Scalix Mail Server and process iCal type meetings.</li> <li>• All-day events across time zones appear in local time and are not marked specifically as all-day.</li> <li>• Advanced recurrence patterns are not supported, e.g. every 2 weeks, Tuesday and Sunday (where the week starts on a Monday) or yearly recurrence of the first weekend day of December.</li> <li>• Responding to an iCal meeting request and proposing a new time is not supported. Scalix does not currently support the</li> </ul> | <p>[iCal Workarounds] --</p> <ul style="list-style-type: none"> <li>• To get full calendaring interoperability between Scalix and Exchange 5.5, use the TNEF route and Outlook as the client.</li> <li>• To make a time slot display as "free," manually remove the meeting from the calendar when accepting a cancellation request.</li> <li>• This is a Microsoft issue with Outlook 10.</li> <li>• None</li> <li>• None</li> <li>• None</li> <li>• None</li> </ul> |

|                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>COUNTER method of iCal.</p> <ul style="list-style-type: none"> <li>Updating text for a series of recurring meetings may fail to display the update where the recurring meeting previously had exceptions.</li> <li>Sending a meeting request from Evolution to Outlook with Scalix loses the "Optional" attendee status. As a result, all attendees appear as "Required".</li> </ul> |                                                                                                                                                                                                                                                                                                                                   |
| <p>If you modify an email user's name while the user is actively connected to the server, the user may not be able to sign on again using SWA or Outlook/Connect. This applies to modifications made both in the Scalix Management Console or the ommodu command on the CLI.</p>                                                                                                        | <p>Use SAC or the CLI to verify that the user is logged off before making any modifications. You can then use SAC to modify the user record, or use CLI and issue the following command:</p> <pre>ommodu --requireSignoff -o "&lt;name&gt;"</pre> <p>Where &lt;name&gt; is the user's Scalix name.</p>                            |
| <p>If a user's account is moved from one server to another when SmartCache is enabled, local caches do not update with the user's new internal server address.</p>                                                                                                                                                                                                                      | <p>When a user is moved to a different server, the profile and cache must be recreated.</p>                                                                                                                                                                                                                                       |
| <p>If using SmartCache in SmartCache mode, when a user's mailbox is moved from one server to another within a multi-Server Scalix Enterprise Edition environment, you must create a new profile on the user's desktop and re-initialize the user's cache.</p>                                                                                                                           | <p>Create a new profile on the user's desktop and re-initialize the user's cache.</p>                                                                                                                                                                                                                                             |
| <p>If you use DDVs to store ISO bulletin board subjects, any DDVs that contain 8-bit ISO characters should be moved to the DDVn-TX variants before upgrading to 11.0. Otherwise, upgrade and/or directory synchronization may fail for these entries.</p>                                                                                                                               | <p>DDVs that contain 8-bit ISO characters should be moved to the DDVn-TX variants before upgrading to 11.0. On the system where the directory entry is locally owned, use omsearch to extract (e.g. omsearch -e S=bb1 -m DDV1) and ommodent to 'move' it. For example: ommodent -e S=bb1 -n DDV1=/DDV1-TX=&lt;ddv1_value&gt;.</p> |
| <p>With the 11.0 release, the interchange character set used for</p>                                                                                                                                                                                                                                                                                                                    | <p>To achieve interoperability with legacy machines, the SMINTFC routes need to be flagged with a new "Version</p>                                                                                                                                                                                                                |

|                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>storing ORN's has been changed from T61 to UTF8. This means that when communicating with legacy Scalix machines (Scalix 10.0 and earlier) via the Sendmail Interface (SMINTFC), character set conversion needs to take place.</p>                          | <p>Number" field, which can be set with a new "-v" option to omaddrt/ommodrt and which can be viewed with the pre-existing "-f" option to omshowrt. When creating a NEW route to a Scalix 1.0.x machine, the version number should be set to "0" or "1". If creating a Sendmail interface route to another 11.0 machine, the route version should be set to "2". In multi-server environment, if a machine is upgraded to 11.0, initially all interface routes will remain as version 0. But as soon as it receives a message on one of those routes which it detects to be an 11.0 message, then the Sendmail Interface Service automatically upgrades that route to version 2. This way, as other machines in the network are upgraded, Sendmail interface communication continues to work.</p>                                  |
| <p>In some cases, you may be able to log in to SAC using administrative privileges from a server not registered with SAC. (<a href="#">Bug 14088</a>)</p>                                                                                                     | <p>On each server, use a different management domain password (set during installation and applied to the sxqueryadmin user) so that they do not match.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <p>After Scalix 11 upgrade, all directory entries (both new and existing) set up to allow mailing to a Public Folder require manual entry of a common name (CN) value, or the sendmail interface reports the user as unknown. (<a href="#">Bug 14017</a>)</p> | <p>Run the following command on a one-time, per folder basis: ommodent -e S=+BB/<a href="#">IA-FORMAL=public.folder@domain.com</a> -n "CN=Public Folder Name", where the IA-FORMAL value is the Internet address of the public folder and the CN value is the name of the Public Folder.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <p>Cannot send eMail from external to distribution lists with default access permissions set to None when using SMTPFILTER=TRUE option (<a href="#">Bug 14712</a>)</p>                                                                                        | <p>If you have set a PDL so that it cannot be sent from the outside world using, for example</p> <pre>omaddaci -l PDL-Name -f Default -c read</pre> <p>then the ldapmapper will not recognize the affected PDLs as valid scalix addresses because it normally binds to the Scalix LDAP server anonymously and therefore cannot see "protected" PDLs itself. sendmail relies on the ldapmapper to route messages back into Scalix. To allow the ldapmapper to correctly identify these addresses, it must use authenticated admin LDAP access. You can do this by adding a <code>~/sys/ldapmapper.cfg</code> file for each Scalix instance on the server. This can contain, for example,</p> <pre>DN=cn=sxqueryadmin PASSWDFILE=../../caa/scalix.res/config/psdata</pre> <p>in which case it re-uses the standard admin account</p> |

|                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                               | <p>created for Scalix Management Services during installation. You can user other admin accounts if desired. See the <code>ldapmapper(8)</code> man page for more information.</p> <p>As of Scalix Version 11.4 SMTPFILTER is deprecated in favor of the newly introduced MILTER interface on the SMTP Relay. Integrating your filter through the new interface may provide another workaround.</p>                                                                                                           |
| When converting a normal user to a resource with 'ommodu --resource y', calendar folder is not automatically created and permissions set (Bug <a href="#">10641</a> )         | <p>Logging as the 'resource' user with either Outlook or SWA will create the calendar folder. Then, permissions for the calendar folder will need to be setup so that users who should be able to automatically book the resource have write access to the folder.</p> <p>Note that permissions will be setup correctly by default for users newly created with omaddu or through the Scalix Management Console. This issue only occurs in the rare case when a normal user is converted into a resource.</p> |
| On Red Hat Enterprise Linux 5 (RHEL 5), setting up stunnel to provide TLS support for SMTP does not work (Red Hat Bug <a href="#">284801</a> )                                | You can still use SMTP over SSL (without TLS) using stunnel on RHEL5. Otherwise, please contact Red Hat through Red Hat Support to provide further prioritization on fixing the bug.                                                                                                                                                                                                                                                                                                                          |
| The following characters are not supported for Proxy Folders (Bug <a href="#">17021</a> , <a href="#">17118</a> ): \$ % * / # [ ]                                             | None.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Proxy Folders do not support redirects or webcal:// URLs (Bug <a href="#">17064</a> )                                                                                         | Use the full http:// address when specifying an URL for Proxy Folders .                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| sxpfadd will fail to create a Proxy Folder when the username contains chinese or Japaneses characters (Bug <a href="#">17220</a> )                                            | Use the auth-id instead if the username.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| When searching in Outlook the "search in subfolders" option is ignored for subfolders with special French characters in their names: à,é,â ... . (Bug <a href="#">15587</a> ) | Rename the subfolder to not contain French characters.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| omscan server cycle will not run if time was in the future during last cycle (Bug <a href="#">17374</a> )                                                                     | <p>Reset the omscan cycle by running</p> <pre>omscan -Z</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| When using non-ASCII characters                                                                                                                                               | None.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                                                                                                                                                                                                 |                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| with sxaa non effective filters will be created (Bug <a href="#">15908</a> )                                                                                                                    |                                                                                                                                                         |
| omtidy omtidyallu options -d -w0 cause problems (Bug <a href="#">16919</a> )                                                                                                                    | Do not use deprecated and undocumented options.                                                                                                         |
| Proxy Folders only display the current content of the RSS Feed (Bug <a href="#">16965</a> )                                                                                                     | None. This will be fixed in a future release of Scalix.                                                                                                 |
| One mailbox folder can hold a maximum of 128K items (Bug <a href="#">17686</a> )                                                                                                                | As this limitation only applies to one folder you can use additional folders to store more that 128K items in one mailbox.                              |
| sxdu -rh <user> shows used space for the recovery folder even if it is empty (Bug <a href="#">17442</a> )                                                                                       | Run<br><br>omscan -S -Af -U <user><br><br>to fix this. Please note the size will still be reported wrong until an item is moved to the recovery folder. |
| ommodpdl fails when CN has more than 40 characters (Bug <a href="#">17772</a> )                                                                                                                 | None. This will be fixed in a future release of Scalix.                                                                                                 |
| omldapsync can't import users with a Unicode linefeed in their street address and reports the error "[OM 16078] An attribute's value contains invalid characters." (Bug <a href="#">15687</a> ) | Change the attribute in question to not contain a Unicode linefeed.                                                                                     |
| Unable to log into to rules wizard when the password contains umlauts. (Bug <a href="#">17472</a> )                                                                                             | Change the password to not contain umlauts.                                                                                                             |

[Back to top](#)

## Scalix Messaging Services

| Issue                                                                                         | Workaround                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mboxadmin signon broken for Scalix Messaging Services and CalDAV (Bug <a href="#">20103</a> ) | mboxadmin signon is broken for all protocols based on Scalix Messaging Services. This affects the RESTful Web Services API, as well as CalDAV access. NotifyLink installations using CalDAV for calendar synchronization are affected by this, as are users of the contributed sxapiprep.py script. Patch <a href="#">PPLT 9001</a> is available to address the issue where needed. The problem will be fixed in future releases of Scalix |

|                                                                                                                                   |                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cannot access calendar folders shared by other users when using CalDAV access with Apple iCal.app                                 | This functionality has been disabled for this release (See Bug <a href="#">16251</a> ) because of some issues (Bug <a href="#">16156</a> ). It will be fixed in a future release of Scalix |
| Colons in user password breaks http authentication in CalDAV (Bug <a href="#">16428</a> )                                         | Do not use a colon as part of the password.                                                                                                                                                |
| Free/Busy information will not be updated when adding meetings via CalDAV (Bug <a href="#">16976</a> )                            | None. This will be fixed in a future release of Scalix.                                                                                                                                    |
| Creating a meeting via CalDAV will not create a message in Sent Items (Bug <a href="#">17007</a> )                                | None. This will be fixed in a future release of Scalix.                                                                                                                                    |
| Exception "Sending error M00010 resource not found" logged when adding another users calendar in SWA (Bug <a href="#">17110</a> ) | None. SWA automatically recovers and completes the operation.                                                                                                                              |
| CalDAV does not support attachments for calendar entries (Bug <a href="#">16557</a> )                                             | None. This will be fixed in a future release of Scalix.                                                                                                                                    |

---

[Back to top](#)

## ***Scalix Search and Index Service***

None

---

[Back to top](#)

## ***Scalix DB (Postgres)***

| <b>Issue</b>                                                                                                              | <b>Workaround</b>                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| On RHEL4, logrotate may report "scalix-postgres:6 unknown option 'dateext' -- ignoring line" (Bug <a href="#">19045</a> ) | RedHat has provided an update to logrotate that fixes this problem. If you can not upgrade logrotate you can also remove the dataext option in |

|  |                                              |
|--|----------------------------------------------|
|  | "/etc/cron.daily/logrotate/scalix-postgres". |
|--|----------------------------------------------|

[Back to top](#)

## ***Scalix Tomcat Connector***

| <b>Issue</b>                                                                                                                                                                                       | <b>Workaround</b>                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| On SLES10 64 bit reconfiguring apache through yast will remove mod_proxy from the list of modules to load. This in turn leads to apache no longer being able to start (Bug <a href="#">18914</a> ) | Make sure that mod_proxy will still be loaded by apache when reconfiguring with yast. |

[Back to top](#)

## ***Scalix Admin Tools***

| <b>Issue</b>                                                                                                                                                                                                                  | <b>Workaround</b>                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Users created in the Management Console whose passwords contain umlauts cannot log in to Scalix Web Access. (Bug <a href="#">4108</a> )                                                                                       | Change user passwords to text entries without diacritical marks.                                                                                                                                                                     |
| Users who exceed their mailbox size limits do not receive messages even after you remove the limits. ( <a href="#">Bug 4971</a> )                                                                                             | After removing the mailbox size limit, restart the Client Interface, Service Router, and Local Delivery services.                                                                                                                    |
| A user whose name is modified while he/she is actively connected to the server may not be able to sign on again using SWA or Outlook.                                                                                         | Verify that the user is logged off before changing his name. Or use the command line to forcibly sign them off with the following command:<br><br><code>ommodu --requireSignoff -o "&lt;user_name&gt;"</code>                        |
| If an administrative user has a pre-expired password (requiring that they change their password upon next login), the user cannot log on to the management console until the password is reset. ( <a href="#">Bug 13881</a> ) | Have administrative users change their passwords in their clients before accessing the management console, remove the pre-set flag on the command line (ommodu with a -E option) or avoid the use of pre-expired passwords entirely. |

|                                                                                                                                   |                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Sort order not correct when 100+ similar user names are present (Bug <a href="#">3804</a> )                                       | None.                                                                                                                         |
| Newly created mailnodes do not show up in SAC when using a hosted edition key (Bug <a href="#">18127</a> )                        | Logout and login into SAC after creating new mailnodes.                                                                       |
| Storage overview throws invalid argument error when accessed as node full admin using IE7 (Bug <a href="#">18159</a> )            | Empty the browsers cache and restart the tomcat.                                                                              |
| In Mailnode Hosting mode, Users can not login to SWA if their Mailnode was not created via sxhostadd (Bug <a href="#">18726</a> ) | Use the --check and --fix option of sxhostcfg to check for and fix erroneous mailnodes. Create new mailnodes using sxhostadd. |

---

[Back](#) to top

## ***Scalix AntiSpam and Scalix ZeroHour AntiVirus***

None

---

[Back](#) to top

## ***Scalix Connect for Outlook***

| <b>Issue</b>                                                                                                                                                                             | <b>Workaround</b>                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| OLE objects embedded in the body of an email message may not be usable by the message recipient. ( <a href="#">Bug 723</a> )                                                             | Transfer OLE data as an attached file.                                                                                         |
| In Outlook 2002, enabling the instant messaging feature impacts response time when viewing messages in the Preview pane.                                                                 | Disable this option.                                                                                                           |
| If users create additional folders using existing standard folder names ("Inbox", etc), they will not be able to open or use them in SWA or other IMAP clients that do not utilize MAPI. | Solution: Don't create folders named "Inbox" (or "Draft" or "Junk E-mail", etc.) if you want to use SWA to check your mailbox. |
| Once SmartCache is enabled, you cannot revert to non-SmartCache mode.                                                                                                                    | If you wish to discontinue caching, create a new profile without the SmartCache feature enabled.                               |
| The use of non-ASCII characters in display or                                                                                                                                            | None                                                                                                                           |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| common names to log in to SWA and Outlook is not supported.                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                           |
| In rare circumstances, a delegate can see a new folder created by his or her "principal" but cannot open it. This happens if the principal creates a new folder shortly after the delegate adds the principal's mailbox to his own profile.                                                                                                                                                                                                                                 | Restart Outlook and the new folders become accessible to the delegate.                                                                                                                                                                                    |
| If you are trying to cradle-sync a Blackberry device with the Microsoft Outlook client, you must use Blackberry Desktop Manager 4.1.x or 4.2.x and also replace the Intellisync file ilxolk.fil with a customized Scalix version. The customized version is located in the .tar.gz file under software/scalix_connect_outlook/extras                                                                                                                                        | To install the patch file for Scalix/Intellisync, please see the "extras" subdirectory of the Scalix Connect for Outlook software package for the updated file and installation instructions for Blackberry Desktop Manager 4.1.x and 4.2.x.              |
| If a non-email folder is set to display first when launching Outlook, the Scalix Rules Wizard fails to load and the connection to the server is lost. (Bug <a href="#">8284</a> )                                                                                                                                                                                                                                                                                           | Only specify the Inbox folder as the initial display mode.                                                                                                                                                                                                |
| When using a profile with SmartCache enabled, cache initialization takes a very long time and performance is poor when running a Virus Scanner with Online Filesystem protection on the workstation.                                                                                                                                                                                                                                                                        | <p>Configure the Virus Scanner to exclude files and subdirectories in the following directory tree from online access scanning:</p> <p>C:\Documents and Settings\&lt;Windows Username&gt;\Local Settings\Application Data\Scalix\Scalix\MAPI\Profiles</p> |
| International character set and Unicode support is functional in Outlook 11 and Outlook 12, but not Outlook 9 and 10. (Bug <a href="#">13324</a> )                                                                                                                                                                                                                                                                                                                          | If Unicode support is needed, use Outlook 11 or Outlook 12.                                                                                                                                                                                               |
| In Sent Items folder only, the subject line displays as empty on emails with more than 178 internationalized characters. (Bug <a href="#">14634</a> )                                                                                                                                                                                                                                                                                                                       | None.                                                                                                                                                                                                                                                     |
| <p>Active Sync Issues:</p> <ul style="list-style-type: none"> <li>When using Active Sync against Outlook profiles setup with Scalix SmartCache, modifications to items can be lost if an item is created on the Outlook side in offline mode and synced to the device before the change is committed from the local cache to the Scalix Server (Bug <a href="#">15682</a>)</li> <li>When syncing recurring appointments, recurrence patterns can be lost in some</li> </ul> | None. The issues will be fixed in a future release of Scalix.                                                                                                                                                                                             |

|                                                                                                                                                                                                                                            |                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>cases when exceptions to the recurring meeting are created (Bug <a href="#">15679</a>)</p> <ul style="list-style-type: none"> <li>• Cannot reply to eMail synced to the device using Active Sync (Bug <a href="#">15680</a>)</li> </ul> |                                                                                                                                                                                                                               |
| Outlook 2007 To-Do folder is sometimes shown as empty (Bug <a href="#">15549</a> )                                                                                                                                                         | The issue will be fixed in the next release of Scalix. It does work, however, when using a SmartCache profile and with Windows Desktop Search enabled.                                                                        |
| When using a SmartCache-enabled profile, updates to the System directory are sometimes not reflected on the client and entries in the address book appear to be missing or outdated (Bug <a href="#">14829</a> )                           | <p>Add the following line to general.cfg:</p> <p>AB_DOWNLOAD_INTERVAL=n</p> <p>Where &lt;n&gt; is the number of days after which a resync of the address book should be forced as part of normal sync operation.</p>          |
| Scalix Connect for Outlook is not compatible with Blackberry Desktop Manager 4.3 (BBDM) (Bug <a href="#">16151</a> )                                                                                                                       | Support for BBDM 4.3 will be included in a future release of Scalix.                                                                                                                                                          |
| Outlook hangs when using Kaspersky Anti Virus/Active Virus Shield together with outgoing rules (Bug <a href="#">13690</a> ).                                                                                                               | Disable all outgoing rules. Incoming rules can still be used.                                                                                                                                                                 |
| On creating a new profile Outlook 2000 may display Use SSL option even when the server does not support it (Bug <a href="#">16334</a> )                                                                                                    | None                                                                                                                                                                                                                          |
| Outlook 2007 fails to open mailbox with "Can not open your default email folders.The information store could not be opened." after using the installers Repair option (Bug <a href="#">16693</a> )                                         | Uninstall and Install Scalix Connect for Outlook.                                                                                                                                                                             |
| Outlook 2007 hangs on Windows XP after network connection was lost (Bug <a href="#">17093</a> )                                                                                                                                            | <p>Try the following steps:</p> <ol style="list-style-type: none"> <li>1. User Work Online/Work Offline to let it retry</li> <li>2. Disconnect/Reconnect Network</li> <li>3. Restart Outlook and related processes</li> </ol> |
| Outlook 2007 will not repaint window when loading inbox on startup (Bug <a href="#">17203</a> )                                                                                                                                            | None, the issue will be fixed in a future release of Scalix.                                                                                                                                                                  |
| MAPI limits number of items displayed in a folder to the first 32767 (Bug <a href="#">10333</a> )                                                                                                                                          | You can distribute your messages among different folders.                                                                                                                                                                     |

|                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| "Recall this message" is not working. (Bug <a href="#">15877</a> )                                                                                          | None, this is an unsupported feature.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Google Desktop Search does not index mails completely and can crash Outlook. (Bug <a href="#">17010</a> )                                                   | None, Google Desktop search is not supported with Scalix Connect for Outlook.                                                                                                                                                                                                                                                                                                                                                                                                             |
| Contact and Calendar sync via iTunes with iPhone do not work (Bug <a href="#">17888</a> )                                                                   | None. Syncing your iPhone via iTunes is not supported. Scalix offers the Scalix ActiveSync product that supports wireless, over-the-air synchronization of email, calendars and contacts with iPhone 2.x (or higher) and other device types supporting ActiveSync.                                                                                                                                                                                                                        |
| Compose new mail dialog does not show up when using Outlook 2007 with a newly created user (Bug <a href="#">18136</a> )                                     | <p>This happens when the username and initials have not been configured. This may be due to the fact that the username dialog is hidden behind a second dialog. Depending on your OS it is a RSS feed prompt (Vista) or Instant Search (XP).</p> <p>You can either start another Office application like Word and configure the username and initials there or, when starting Outlook for the first time, move the above mentioned dialog to side, thus exposing the username dialog.</p> |
| On Vista, installation may fail if the install binary is renamed (Bug <a href="#">18322</a> )                                                               | Do not rename the binary, but keep it as Setup.exe or setup.exe                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Outlook 2003 and 2007 may report "Unable to open default email folder..." when accessing the Scalix Account for the first time (Bug <a href="#">18488</a> ) | Restart Outlook                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Messages may get stuck in the Outlook's Outbox when sending to a PDL with an Internet Address lacking an @ sign (Bug <a href="#">18589</a> )                | Make sure all PDLs have a valid Internet Address                                                                                                                                                                                                                                                                                                                                                                                                                                          |

[Back](#) to top

## Scalix Web Access

| Issue | Workaround |
|-------|------------|
|-------|------------|

|                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| When using Internet Explorer with high-resolution displays, users with dpi settings other than 96 dpi may experience that certain modal dialogs within Scalix Web Access do not display all of the information that the dialog contains.                    | Set dpi setting to Normal size (96 dpi) through Windows Control Panel > Display Properties.                                                                                                                       |
| Popup-blocking software installed on your machine might prevent SWA from starting up.                                                                                                                                                                       | You need to either disable pop-up blocking or add the Scalix Web Access URL to the list of allowed sites.                                                                                                         |
| The use of non-ASCII characters in display or common names to log in to SWA and Outlook is not supported.                                                                                                                                                   | None                                                                                                                                                                                                              |
| When upgrading SWA, customizations to the login page are not retained.                                                                                                                                                                                      | Prior to upgrade, save a copy of index.html and web.xml, which are where login customizations are made, and use these as a guide to make the same changes once the update has completed successfully.             |
| Umlauts created from an English keyboard (alt+0228 or alt+0252) on Internet Explorer 7 do not display properly in the contacts list if the URL used to access SWA is not on the list of trusted sites. They do display properly in email or calendar items. | Use a German language keyboard.                                                                                                                                                                                   |
| SWA does not accept resource bookings made with global character sets.                                                                                                                                                                                      | None                                                                                                                                                                                                              |
| If upgrading directly from 10.0.1 or later to Scalix 11, the event services may not start, which can cause the Scalix Mobile Web client to fail and SWA performance to deteriorate. ( <a href="#">Bug 14133</a> )                                           | After completing upgrade to 11.0, the xinetd process needs to be signaled to reload its configuration. Run the following command: "/etc/init.d/xinetd reload". Then restart the Scalix mail server (omshut/omrc). |
| In Firefox, resizing the message list pane shrinks the entire pane to only one pixel, obscuring the message list. ( <a href="#">Bug 10397</a> )                                                                                                             | At the top of the preview pane, pull the border repeatedly until it reaches the desired size. This may take a few repetitions as the border bounces back.                                                         |
| In some cases, the Drafts folder may have multiple copies of the same message. ( )                                                                                                                                                                          | Delete the extras after sending.                                                                                                                                                                                  |
| A JavaScript error appears when a delegate opens a private appointment from his principal's mailbox.                                                                                                                                                        | None                                                                                                                                                                                                              |

|                                                                                                                                                     |                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Clicking the 'next' arrow button of the message window prompts a JavaScript error.                                                                  | None                                                                                                                                                                                 |
| Invoking SWA within a frameset yields erroneous error message (Bug <a href="#">16549</a> )                                                          | None, SWA is not supported to be run inside of a frameset.                                                                                                                           |
| SWA appears to allow changes to read-only Proxy Folder like deleting items from or filing items into them (Bug <a href="#">17035</a> )              | None, the issue will be fixed in a later version of Scalix.                                                                                                                          |
| The From address of RSS/Atom Feeds is displayed as rss@invalid.com (Bug <a href="#">17075</a> )                                                     | None, the issue will be fixed in a later version of Scalix.                                                                                                                          |
| Links embedded in HTML Mails sometimes fail to open with Firefox 2.X                                                                                | Upgrade to Firefox 3.                                                                                                                                                                |
| After uninstalling a language rpm package the language in question is still listed as available in SWA (Bug <a href="#">17635</a> )                 | <p>After uninstalling the rpm package remove the corresponding locale directory from</p> <pre>/opt/scalix/web/swa/nls/xx_YY</pre> <p>Then restart tomcat to activate the change.</p> |
| Attaching file having semicolon in filename removes all the earlier attachments (Bug <a href="#">16813</a> ) or fails (Bug <a href="#">14978</a> ). | Rename the file prior to attaching it.                                                                                                                                               |
| Clicking URL link in e-mail does not open link in default Web browser when using Firefox 2 (Bug <a href="#">17159</a> )                             | Upgrade to Firefox 3.                                                                                                                                                                |
| Uninstalling Theme RPM package does not remove the item from the Themes pulldown-list (Bug <a href="#">17638</a> )                                  | None, the issue will be fixed in a later version of Scalix.                                                                                                                          |
| Timer settings for message refresh don't take effect immediately (Bug <a href="#">17355</a> )                                                       | Logout and login to activate the change.                                                                                                                                             |
| Attachments can not be viewed after being attached (Bug <a href="#">682</a> )                                                                       | None, the issue will be fixed in a later version of Scalix.                                                                                                                          |
| Users with no password can not send mail in SWA (Bug <a href="#">16826</a> )                                                                        | Do not create users without a password.                                                                                                                                              |
| SWA Test sound button does not seem to work in IE7 (Bug <a href="#">17693</a> )                                                                     | Set the sound notification to on, choose a sound and send yourself an email. If the browser prompts you to install/activate a plugin confirm this action.                            |

|                                                                                                                                                                              |                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Folder names containing < and > signs are not displayed (Bug <a href="#">14911</a> )                                                                                         | Rename the folder to not contain these signs                                                                                                     |
| Folder names with ! don't work in SWA (Bug <a href="#">17828</a> )                                                                                                           | Rename the folder to not contain a !                                                                                                             |
| When selecting time slots in an appointment's Scheduling tab previously selected slots are not deselected (Bug <a href="#">18236</a> )                                       | Switching from the Scheduling tab to the Appointment tab and back will clear the display. This issue will be fixed in a later version of Scalix. |
| When viewing a mail folder with Firefox 2 resizing the message list into the preview pane will shorten the displayed message list to 0 entries. (Bug <a href="#">17773</a> ) | Upgrade to Firefox 3                                                                                                                             |

---

[Back to top](#)

### ***Scalix Mobile Web Client***

| <b>Issue</b>                                                         | <b>Workaround</b>                       |
|----------------------------------------------------------------------|-----------------------------------------|
| Cannot login when password contains ":" (Bug <a href="#">14668</a> ) | Change password to not contain a colon. |

---

[Back to top](#)

### ***Scalix Connect for Evolution***

| <b>Issue</b>                                                                                        | <b>Workaround</b>                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recurring appointments "Every Xth Y of month M every year" cannot be created or edited in Evolution | You can create recurring appointments with the pattern "Every Xth Y of month M every year" in Outlook and SWA but not in Evolution. If created in SWA or Outlook, though, it displays correctly in Evolution although you cannot edit them. |
| Nested PDLs (address-lists)                                                                         | You cannot create nested PDLs in Evolution. When created in Outlook, nested PDLs only show with their top-level members in Evolution.                                                                                                       |

|                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Freebusy data of organizer not displayed                                                                                                                                      | The "Scheduling" section of the meeting editor does not show the free/busy data for the organizer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Offline mode                                                                                                                                                                  | Only mail features are currently supported in offline mode. While certain calendar and contacts operations do work, they are not officially supported.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Message filters                                                                                                                                                               | Message-filters do not file new messages automatically although the "apply filters to new messages in the Inbox" option in the account profile is checked. "Apply Filters" from the Message menu however works.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| SMTP configuration                                                                                                                                                            | <p>You cannot configure the SMTP and IMAP servers separately. They are always the same and the SMTP port is always 25. If you need a different configuration, manually change your account profile settings through gconf-editor:</p> <ul style="list-style-type: none"> <li>▪ Run gconf-editor</li> <li>▪ Expand /apps/evolution</li> <li>▪ Select mail</li> <li>▪ Double-click on accounts in the right-hand pane</li> <li>▪ Select the relevant account and click "Edit"</li> <li>▪ In the text box, find the XML element &lt;url&gt; inside the &lt;transport&gt; element and add "###" after the hostname, where ### is the port of your SMTP server.</li> </ul> |
| Modifying an existing Scalix account in Evolution to a new account does not update the calendar and contact data for the new user.                                            | Delete the existing Scalix account by choosing Edit ->Preferences in Evolution and then create a replacement ("New") Scalix account.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| When accepting a meeting request in Evolution, adding a comment results in an empty message attachment in the response when viewed by an Exchange user in the Outlook client. | None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Evolution users cannot accept updated instances of recurring meetings sent from Outlook.                                                                                      | None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Additional invitees to a recurring meeting may not display when the appointment is                                                                                            | None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                                                                                  |       |
|----------------------------------------------------------------------------------|-------|
| viewed in Evolution.                                                             |       |
| Resource booking is not supported in Evolution.                                  | None  |
| Evolution does not display priority or sensitivity levels set in SWA or Outlook. | None  |
| Evolution does not show message formats as saved in the Outlook Drafts folder.   | None  |
| Messages sent to PDLs arrive in Evolution as "Undisclosed-Recipient."            | None  |
| Cannot add an account that has a null password (Bug <a href="#">15665</a> ).     | None. |

[Back to top](#)

## ***Blackberry Cradle Synchronization with Blackberry Desktop Manager (BBDM) 4.1/4.2***

Intellisync is included as part of the Blackberry Desktop Manager (BBDM) software bundle distributed by Blackberry. You can download Blackberry Desktop Manager from the Blackberry web site. The BBDM software needs to be patched with a patch provided by Scalix to enable synchronization with Scalix. Please see the "extras" subdirectory of the Scalix Connect for Outlook software package for details. The patch is provided for versions 4.1.x and 4.2.x of the BBDM software. The current version of Scalix Connect for Outlook is not compatible with versions 4.3.x of the BBDM software. This will be supported in a future release of Scalix.

[Back to top](#)

## ***Scalix Migration Tool***

| <b>Issue</b>                                                                                                                                                           | <b>Workaround</b>                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Microsoft Exchange out-of-office settings do not transfer during migration. So if a user's out-of-office assistant is activated during migration, it stops responding. | After migration, reset out-of-office notifications in Scalix. |
| When migrating a user with the Scalix Migration Tool, the Outlook rules are not preserved because Microsoft rules are not compatible with Scalix.                      | None                                                          |

[Back to top](#)

## ***Scalix Administration Resource Kit***

The Scalix Administration Resource Kit is located at

[http://www.scalix.com/wiki/index.php?title=Admin\\_Resource\\_Kit](http://www.scalix.com/wiki/index.php?title=Admin_Resource_Kit).

he current version of Scalix Connect for Outlook is not compatible with versions 4.3.x or later of the BBDM software. This will be supported in a future release of Scalix.

---

**[Back](#) to top**

## ***Scalix Active Directory Extensions***

| <b>Issue</b>                                                                       | <b>Workaround</b>                                                                  |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Scalix AD-extensions are not visible on Windows 2003 ( <a href="#">Bug 17278</a> ) | <a href="#">Download</a> and install the Administration Tool Pack for Windows 2003 |

**[Back](#) to top of page...**

---